

Survey of Student-Athlete Norms

Aggregate Report of Responses to Selected Questions

2001 – 2009

H. Wesley Perkins, Ph.D., Professor of Sociology

David W. Craig, Ph.D., Professor of Chemistry

Alcohol Education Project

Hobart and William Smith Colleges

Geneva, NY 14456

www.AlcoholEducationProject.org

www.SocialNormSurveys.org

This statistical report provides overall aggregate results of student-athlete responses to selected items from the Survey on Student- Athlete Norms administered anonymously online by the Alcohol Education Project between Fall 2001 and Spring 2009. The data reported here reflect survey administrations conducted one or more times at 15 NCAA Division II and III colleges and universities located in 13 geographically diverse states across the United States. The response rate for each survey was greater than 50% and the average response rate was 72%. Six schools conducted the survey once, two did so in two years, and seven schools provided data from three survey years (for any school conducting the survey more than three times, only the most recent three years are reported here). Thus, this report is based on a total of 31 survey administrations and includes 8,273 student-athletes (4,705 males and 3,568 females). Most of the questions remained consistent throughout the survey time period. However, a few new items were added and coding formats on a few of the original items were altered slightly in later years (2005 and later as noted in the report). For these items, the more recent data are presented. The question numbers in this report refer to the most recent survey version (see the attached survey at the end of this report for reference to the survey items by question number and for the exact wording of the questions).

**Frequency Distributions of Responses for Selected Survey Items
(* indicates new or altered questions introduced since 2001)**

Q03 Currently in season participation

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	2146	45.6	45.7	45.7
		Yes	2551	54.2	54.3	100.0
		Total	4697	99.8	100.0	
	Missing	System	8	.2		
		Total	4705	100.0		
Female	Valid	No	1548	43.4	43.5	43.5
		Yes	2011	56.4	56.5	100.0
		Total	3559	99.7	100.0	
	Missing	System	9	.3		
		Total	3568	100.0		

Q04 Importance of intercollegiate athletics personally

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not very	75	1.6	1.6	1.6
		Somewhat	658	14.0	14.0	15.6
		Very	3156	67.1	67.1	82.7
		Most	814	17.3	17.3	100.0
		Total	4703	100.0	100.0	
	Missing	System	2	.0		
Total		4705	100.0			
Female	Valid	Not very	36	1.0	1.0	1.0
		Somewhat	640	17.9	17.9	19.0
		Very	2621	73.5	73.5	92.5
		Most	269	7.5	7.5	100.0
		Total	3566	99.9	100.0	
	Missing	System	2	.1		
Total		3568	100.0			

Q05 How many of five best friends are intercollegiate athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	169	3.6	3.6	3.6
		1	270	5.7	5.8	9.4
		2	569	12.1	12.1	21.5
		3	796	16.9	17.0	38.4
		4	1035	22.0	22.1	60.5
		5	1854	39.4	39.5	100.0
		Total	4693	99.7	100.0	
	Missing	System	12	.3		
Total		4705	100.0			

Q05 How many of five best friends are intercollegiate athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	0	212	5.9	5.9	5.9
		1	397	11.1	11.1	17.1
		2	624	17.5	17.5	34.6
		3	707	19.8	19.8	54.4
		4	737	20.7	20.7	75.1
		5	888	24.9	24.9	100.0
		Total	3565	99.9	100.0	
Missing	System	3	.1			
Total			3568	100.0		

*** Q07 Self rated physical condition for sport (only asked in surveys since 2005)**

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Male	Valid	0 - not at all in physical condition	6	.1	.2	.2	
		1	4	.1	.2	.4	
		2	11	.2	.4	.8	
		3	24	.5	.9	1.7	
		4	37	.8	1.4	3.2	
		5	114	2.4	4.4	7.6	
		6	235	5.0	9.1	16.7	
		7	648	13.8	25.2	41.9	
		8	867	18.4	33.7	75.5	
		9	447	9.5	17.4	92.9	
		10 - at my peak	183	3.9	7.1	100.0	
		Total	2576	54.8	100.0		
		Missing	System	2129	45.2		
Total			4705	100.0			
Female	Valid	0 - not at all in physical condition	2	.1	.1	.1	
		1	2	.1	.1	.2	
		3	20	.6	1.2	1.4	
		4	37	1.0	2.2	3.6	
		5	93	2.6	5.5	9.1	
		6	234	6.6	13.9	23.0	
		7	466	13.1	27.7	50.7	
		8	554	15.5	32.9	83.6	
		9	204	5.7	12.1	95.7	
		10 - at my peak	72	2.0	4.3	100.0	
		Total	1684	47.2	100.0		
		Missing	System	1884	52.8		
		Total			3568	100.0	

Q08a Participation in student government

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4440	94.4	95.7	95.7
		1 year	147	3.1	3.2	98.9
		2 or more years	51	1.1	1.1	100.0
		Total	4638	98.6	100.0	
	Missing	System	67	1.4		
	Total	4705	100.0			
Female	Valid	Never	3316	92.9	94.2	94.2
		1 year	146	4.1	4.1	98.4
		2 or more years	57	1.6	1.6	100.0
		Total	3519	98.6	100.0	
	Missing	System	49	1.4		
	Total	3568	100.0			

Q08b Participation in religious group

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	3988	84.8	86.0	86.0
		1 year	394	8.4	8.5	94.5
		2 or more years	257	5.5	5.5	100.0
		Total	4639	98.6	100.0	
	Missing	System	66	1.4		
	Total	4705	100.0			
Female	Valid	Never	2875	80.6	81.7	81.7
		1 year	372	10.4	10.6	92.2
		2 or more years	274	7.7	7.8	100.0
		Total	3521	98.7	100.0	
	Missing	System	47	1.3		
	Total	3568	100.0			

Q08c Participation in political club

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4302	91.4	92.7	92.7
		1 year	242	5.1	5.2	97.9
		2 or more years	96	2.0	2.1	100.0
		Total	4640	98.6	100.0	
	Missing	System	65	1.4		
	Total	4705	100.0			
Female	Valid	Never	3263	91.5	92.8	92.8
		1 year	181	5.1	5.1	98.0
		2 or more years	71	2.0	2.0	100.0
		Total	3515	98.5	100.0	
	Missing	System	53	1.5		
	Total	3568	100.0			

Q08d Participation in fraternity or sorority

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4141	88.0	89.2	89.2
		1 year	236	5.0	5.1	94.3
		2 or more years	265	5.6	5.7	100.0
		Total	4642	98.7	100.0	
	Missing	System	63	1.3		
	Total	4705	100.0			
Female	Valid	Never	3315	92.9	94.3	94.3
		1 year	99	2.8	2.8	97.1
		2 or more years	103	2.9	2.9	100.0
		Total	3517	98.6	100.0	
	Missing	System	51	1.4		
	Total	3568	100.0			

Q08e Participation in performing arts

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4352	92.5	93.9	93.9
		1 year	176	3.7	3.8	97.6
		2 or more years	109	2.3	2.4	100.0
		Total	4637	98.6	100.0	
	Missing	System	68	1.4		
	Total	4705	100.0			
Female	Valid	Never	3217	90.2	91.5	91.5
		1 year	209	5.9	5.9	97.5
		2 or more years	88	2.5	2.5	100.0
		Total	3514	98.5	100.0	
	Missing	System	54	1.5		
	Total	3568	100.0			

Q08f Participation in student newspa-per

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4516	96.0	97.5	97.5
		1 year	85	1.8	1.8	99.3
		2 or more years	33	.7	.7	100.0
		Total	4634	98.5	100.0	
	Missing	System	71	1.5		
	Total	4705	100.0			
Female	Valid	Never	3420	95.9	97.3	97.3
		1 year	70	2.0	2.0	99.3
		2 or more years	24	.7	.7	100.0
		Total	3514	98.5	100.0	
	Missing	System	54	1.5		
	Total	3568	100.0			

Q08g Participation in literary/other magazine

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4560	96.9	98.4	98.4
		1 year	53	1.1	1.1	99.5
		2 or more years	21	.4	.5	100.0
		Total	4634	98.5	100.0	
	Missing	System	71	1.5		
	Total	4705	100.0			
Female	Valid	Never	3461	97.0	98.5	98.5
		1 year	43	1.2	1.2	99.7
		2 or more years	11	.3	.3	100.0
		Total	3515	98.5	100.0	
	Missing	System	53	1.5		
	Total	3568	100.0			

Q08h Participation in campus media

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4379	93.1	94.4	94.4
		1 year	186	4.0	4.0	98.4
		2 or more years	72	1.5	1.6	100.0
		Total	4637	98.6	100.0	
	Missing	System	68	1.4		
	Total	4705	100.0			
Female	Valid	Never	3404	95.4	96.9	96.9
		1 year	89	2.5	2.5	99.4
		2 or more years	21	.6	.6	100.0
		Total	3514	98.5	100.0	
	Missing	System	54	1.5		
	Total	3568	100.0			

Q08i Participation in social action group

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4254	90.4	91.7	91.7
		1 year	279	5.9	6.0	97.8
		2 or more years	104	2.2	2.2	100.0
		Total	4637	98.6	100.0	
	Missing	System	68	1.4		
	Total	4705	100.0			
Female	Valid	Never	3096	86.8	88.1	88.1
		1 year	312	8.7	8.9	97.0
		2 or more years	105	2.9	3.0	100.0
		Total	3513	98.5	100.0	
	Missing	System	55	1.5		
	Total	3568	100.0			

Q08j Participation in cultural or ethnic group

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4328	92.0	93.5	93.5
		1 year	202	4.3	4.4	97.9
		2 or more years	99	2.1	2.1	100.0
		Total	4629	98.4	100.0	
	Missing	System	76	1.6		
	Total	4705	100.0			
Female	Valid	Never	3299	92.5	93.9	93.9
		1 year	143	4.0	4.1	98.0
		2 or more years	72	2.0	2.0	100.0
		Total	3514	98.5	100.0	
	Missing	System	54	1.5		
	Total	3568	100.0			

Q08k Participation in volunteer service

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	3201	68.0	68.9	68.9
		1 year	943	20.0	20.3	89.2
		2 or more years	503	10.7	10.8	100.0
		Total	4647	98.8	100.0	
	Missing	System	58	1.2		
	Total	4705	100.0			
Female	Valid	Never	1884	52.8	53.4	53.4
		1 year	1024	28.7	29.0	82.4
		2 or more years	620	17.4	17.6	100.0
		Total	3528	98.9	100.0	
	Missing	System	40	1.1		
	Total	3568	100.0			

Q08l Participation in faculty research

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4338	92.2	93.7	93.7
		1 year	227	4.8	4.9	98.6
		2 or more years	63	1.3	1.4	100.0
		Total	4628	98.4	100.0	
	Missing	System	77	1.6		
	Total	4705	100.0			
Female	Valid	Never	3260	91.4	93.0	93.0
		1 year	174	4.9	5.0	98.0
		2 or more years	70	2.0	2.0	100.0
		Total	3504	98.2	100.0	
	Missing	System	64	1.8		
	Total	3568	100.0			

Q08m Participation in independent study

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4121	87.6	89.1	89.1
		1 year	389	8.3	8.4	97.5
		2 or more years	114	2.4	2.5	100.0
		Total	4624	98.3	100.0	
	Missing	System	81	1.7		
	Total	4705	100.0			
Female	Valid	Never	3126	87.6	89.1	89.1
		1 year	292	8.2	8.3	97.4
		2 or more years	91	2.6	2.6	100.0
		Total	3509	98.3	100.0	
	Missing	System	59	1.7		
	Total	3568	100.0			

Q08n Participation in honor society

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4297	91.3	92.8	92.8
		1 year	182	3.9	3.9	96.8
		2 or more years	149	3.2	3.2	100.0
		Total	4628	98.4	100.0	
	Missing	System	77	1.6		
	Total	4705	100.0			
Female	Valid	Never	3067	86.0	87.2	87.2
		1 year	216	6.1	6.1	93.3
		2 or more years	236	6.6	6.7	100.0
		Total	3519	98.6	100.0	
	Missing	System	49	1.4		
	Total	3568	100.0			

Q08o Participation in study abroad

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	4426	94.1	95.8	95.8
		1 year	160	3.4	3.5	99.2
		2 or more years	36	.8	.8	100.0
		Total	4622	98.2	100.0	
	Missing	System	83	1.8		
	Total	4705	100.0			
Female	Valid	Never	3268	91.6	93.1	93.1
		1 year	222	6.2	6.3	99.4
		2 or more years	22	.6	.6	100.0
		Total	3512	98.4	100.0	
	Missing	System	56	1.6		
	Total	3568	100.0			

Descriptive Statistics for Selected Survey Items

*Statistics (since 2006 only due to a change in response format)

Q34 Gender			Q09a Hours attending class per week	Q09b Hours studying per week	Q09c Hours working with peers on classwork per week	Q09d Hours meeting with faculty per week	Q09e Hours in athletics per week
Male	N	Valid	2321	2317	2312	2314	2316
		Missing	2384	2388	2393	2391	2389
		Mean	14.76	9.64	4.02	1.95	13.72
		Median	15.00	9.00	3.00	1.00	14.00
		Std. Deviation	4.843	5.917	3.901	2.855	6.340
Female	N	Valid	1565	1556	1551	1560	1560
		Missing	2003	2012	2017	2008	2008
		Mean	15.66	11.96	4.16	1.88	13.69
		Median	15.00	10.00	3.00	1.00	14.00
		Std. Deviation	5.127	6.227	3.715	2.536	6.215

*Statistics (since 2006 only due to a change in response format)

Q34 Gender			Q09f Hours in recreational exercise per week	Q09g Hours in clubs or organized groups per week	Q09h Hours volunteering per week	Q09i Hours working for pay per week	Q09j Hours watching TV or videos games per week
Male	N	Valid	2285	2312	2306	2314	2320
		Missing	2420	2393	2399	2391	2385
		Mean	5.55	1.91	1.19	3.94	8.03
		Median	4.00	.00	.00	.00	7.00
		Std. Deviation	5.495	3.894	2.943	5.669	6.077
Female	N	Valid	1548	1558	1557	1560	1564
		Missing	2020	2010	2011	2008	2004
		Mean	4.51	1.76	1.20	4.37	4.72
		Median	3.00	1.00	.00	2.00	4.00
		Std. Deviation	4.444	2.858	2.507	5.582	4.438

*Statistics (since 2006 only due to a change in response format)

Q34 Gender			Q09k Hours partying per week	Q09l Hours socializing with friends per week	Q09m Hours reading for pleasure per week	Q10 Hours of sleep per day
Male	N	Valid	2318	2317	2319	4701
		Missing	2387	2388	2386	4
		Mean	6.18	9.35	1.62	7.12
		Median	5.00	8.00	1.00	7.00
		Std. Deviation	5.284	6.096	2.891	1.117
Female	N	Valid	1561	1560	1563	3567
		Missing	2007	2008	2005	1
		Mean	4.48	8.62	1.33	6.89
		Median	4.00	8.00	1.00	7.00
		Std. Deviation	3.795	5.316	2.246	1.104

Frequency Distributions of Responses for Selected Survey Items

Q11 Meals per day

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	6	.1	.1	.1
		1	76	1.6	1.6	1.7
		2	1629	34.6	34.7	36.5
		3	2231	47.4	47.6	84.0
		4 or more	749	15.9	16.0	100.0
		Total	4691	99.7	100.0	
	Missing	System	14	.3		
Total			4705	100.0		
Female	Valid	0	4	.1	.1	.1
		1	104	2.9	2.9	3.0
		2	1330	37.3	37.3	40.3
		3	1832	51.3	51.4	91.8
		4 or more	294	8.2	8.2	100.0
		Total	3564	99.9	100.0	
	Missing	System	4	.1		
Total			3568	100.0		

Q13 Self: Attitude about tobacco use

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Tobacco use is never good thing to do	3151	67.0	67.3	67.3
		Occasional tobacco use is ok, but not daily	992	21.1	21.2	88.5
		Daily use ok if that's what individual wants	539	11.5	11.5	100.0
		Total	4682	99.5	100.0	
		Missing	System	23	.5	
Total			4705	100.0		
Female	Valid	Tobacco use is never good thing to do	3123	87.5	87.9	87.9
		Occasional tobacco use is ok, but not daily	298	8.4	8.4	96.3
		Daily use ok if that's what individual wants	130	3.6	3.7	100.0
		Total	3551	99.5	100.0	
		Missing	System	17	.5	
Total			3568	100.0		

Q14 Perceived norm: Attitude of most athletes about tobacco use

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Tobacco use is never good thing to do	1688	35.9	36.0	36.0
		Occasional tobacco use is ok, but not daily	2251	47.8	48.0	84.0

Q14 Perceived norm: Attitude of most athletes about tobacco use

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Daily use ok if that's what individual wants	748	15.9	16.0	100.0
		Total	4687	99.6	100.0	
	Missing	System	18	.4		
	Total		4705	100.0		
Female	Valid	Tobacco use is never good thing to do	1679	47.1	47.3	47.3
		Occasional tobacco use is ok, but not daily	1533	43.0	43.2	90.5
		Daily use ok if that's what individual wants	339	9.5	9.5	100.0
		Total	3551	99.5	100.0	
	Missing	System	17	.5		
	Total		3568	100.0		

Q15 Self: Attitude about alcohol use

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Drinking is never a good thing to do	462	9.8	9.8	9.8
		Drinking is all right but a person should not get drunk	463	9.8	9.9	19.7
		Occasional drunk okay without interference	3145	66.8	67.0	86.7
		Occasional drunk okay with interference	278	5.9	5.9	92.7
		Frequently getting drunk okay	344	7.3	7.3	100.0
		Total	4692	99.7	100.0	
	Missing	System	13	.3		
Total		4705	100.0			
Female	Valid	Drinking is never a good thing to do	362	10.1	10.2	10.2
		Drinking is all right but a person should not get drunk	418	11.7	11.7	21.9
		Occasional drunk okay without interference	2539	71.2	71.4	93.3
		Occasional drunk okay with interference	124	3.5	3.5	96.8
		Frequently getting drunk okay	115	3.2	3.2	100.0
		Total	3558	99.7	100.0	
	Missing	System	10	.3		
Total		3568	100.0			

Q16 Perceived norm: Attitude of athletes about alcohol use

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Drinking is never a good thing to do	132	2.8	3.4	3.4

Q16 Perceived norm: Attitude of athletes about alcohol use

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Drinking is all right but a person should not get drunk	167	3.5	4.3	7.6
		Occasional drunk okay without interference	2508	53.3	63.9	71.5
		Occasional drunk okay with interference	684	14.5	17.4	88.9
		Frequently getting drunk okay	435	9.2	11.1	100.0
		Total	3926	83.4	100.0	
		Missing	System	779	16.6	
	Total		4705	100.0		
Female	Valid	Drinking is never a good thing to do	59	1.7	1.9	1.9
		Drinking is all right but a person should not get drunk	118	3.3	3.9	5.8
		Occasional drunk okay without interference	2002	56.1	65.5	71.3
		Occasional drunk okay with interference	514	14.4	16.8	88.2
		Frequently getting drunk okay	362	10.1	11.8	100.0
		Total	3055	85.6	100.0	
	Missing	System	513	14.4		
Total		3568	100.0			

Q17a Self: How often use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	2821	60.0	60.0	60.0
		1-2 per year	631	13.4	13.4	73.5
		Once a month	348	7.4	7.4	80.9
		Twice a month	177	3.8	3.8	84.7
		Once a week	161	3.4	3.4	88.1
		Twice a week	225	4.8	4.8	92.9
		Daily	335	7.1	7.1	100.0
		Total	4698	99.9	100.0	
	Missing	System	7	.1		
Total		4705	100.0			
Female	Valid	Never	2953	82.8	83.0	83.0
		1-2 per year	281	7.9	7.9	90.9
		Once a month	102	2.9	2.9	93.8
		Twice a month	70	2.0	2.0	95.7
		Once a week	55	1.5	1.5	97.3
		Twice a week	48	1.3	1.3	98.6
		Daily	49	1.4	1.4	100.0
		Total	3558	99.7	100.0	

Q17a Self: How often use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Missing	System	10	.3		
	Total		3568	100.0		

Q17b Perceived norm: How often friends use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	982	20.9	21.1	21.1
		1-2 per year	767	16.3	16.5	37.5
		Once a month	520	11.1	11.2	48.7
		Twice a month	342	7.3	7.3	56.0
		Once a week	518	11.0	11.1	67.2
		Twice a week	550	11.7	11.8	79.0
		Daily	980	20.8	21.0	100.0
		Total	4659	99.0	100.0	
	Missing	System	46	1.0		
	Total		4705	100.0		
Female	Valid	Never	1496	41.9	42.3	42.3
		1-2 per year	728	20.4	20.6	62.8
		Once a month	401	11.2	11.3	74.2
		Twice a month	197	5.5	5.6	79.7
		Once a week	207	5.8	5.8	85.6
		Twice a week	183	5.1	5.2	90.7
		Daily	328	9.2	9.3	100.0
		Total	3540	99.2	100.0	
	Missing	System	28	.8		
	Total		3568	100.0		

Q17c Perceived norm: How often team members use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	964	20.5	20.7	20.7
		1-2 per year	784	16.7	16.8	37.5
		Once a month	631	13.4	13.5	51.1
		Twice a month	391	8.3	8.4	59.5
		Once a week	548	11.6	11.8	71.2
		Twice a week	586	12.5	12.6	83.8
		Daily	754	16.0	16.2	100.0
		Total	4658	99.0	100.0	
	Missing	System	47	1.0		
	Total		4705	100.0		
Female	Valid	Never	1702	47.7	48.2	48.2
		1-2 per year	927	26.0	26.2	74.4
		Once a month	367	10.3	10.4	84.8
		Twice a month	191	5.4	5.4	90.2
		Once a week	166	4.7	4.7	94.9

Q17c Perceived norm: How often team members use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	Twice a week	105	2.9	3.0	97.9
		Daily	75	2.1	2.1	100.0
		Total	3533	99.0	100.0	
Missing	System	35	1.0			
Total		3568	100.0			

Q17d Perceived norm: How often male athletes use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	410	8.7	8.8	8.8
		1-2 per year	654	13.9	14.1	22.9
		Once a month	750	15.9	16.1	39.0
		Twice a month	652	13.9	14.0	53.0
		Once a week	746	15.9	16.0	69.1
		Twice a week	725	15.4	15.6	84.7
		Daily	712	15.1	15.3	100.0
		Total	4649	98.8	100.0	
		Missing	System	56	1.2	
Total		4705	100.0			
Female	Valid	Never	416	11.7	11.8	11.8
		1-2 per year	690	19.3	19.6	31.4
		Once a month	716	20.1	20.3	51.8
		Twice a month	560	15.7	15.9	67.7
		Once a week	532	14.9	15.1	82.8
		Twice a week	366	10.3	10.4	93.2
		Daily	239	6.7	6.8	100.0
		Total	3519	98.6	100.0	
		Missing	System	49	1.4	
Total		3568	100.0			

Q17e Perceived norm: How often female athletes use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	1253	26.6	26.9	26.9
		1-2 per year	1094	23.3	23.5	50.3
		Once a month	771	16.4	16.5	66.9
		Twice a month	478	10.2	10.3	77.1
		Once a week	432	9.2	9.3	86.4
		Twice a week	330	7.0	7.1	93.5
		Daily	304	6.5	6.5	100.0
		Total	4662	99.1	100.0	
		Missing	System	43	.9	
Total		4705	100.0			
Female	Valid	Never	789	22.1	22.4	22.4
		1-2 per year	1128	31.6	32.0	54.4

Q17e Perceived norm: How often female athletes use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	Once a month	656	18.4	18.6	73.0
		Twice a month	382	10.7	10.8	83.8
		Once a week	291	8.2	8.3	92.0
		Twice a week	182	5.1	5.2	97.2
		Daily	99	2.8	2.8	100.0
		Total	3527	98.9	100.0	
		Missing	System	41	1.1	
Total			3568	100.0		

Q17f Perceived norm: How often non-athletes use tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	208	4.4	4.5	4.5
		1-2 per year	204	4.3	4.4	8.8
		Once a month	321	6.8	6.9	15.7
		Twice a month	438	9.3	9.4	25.1
		Once a week	643	13.7	13.8	38.8
		Twice a week	838	17.8	17.9	56.8
		Daily	2019	42.9	43.2	100.0
		Total	4671	99.3	100.0	
Missing	System	34	.7			
Total			4705	100.0		
Female	Valid	Never	94	2.6	2.7	2.7
		1-2 per year	184	5.2	5.2	7.9
		Once a month	296	8.3	8.4	16.3
		Twice a month	438	12.3	12.4	28.7
		Once a week	533	14.9	15.1	43.8
		Twice a week	600	16.8	17.0	60.8
		Daily	1383	38.8	39.2	100.0
		Total	3528	98.9	100.0	
Missing	System	40	1.1			
Total			3568	100.0		

Q18a Self: How often consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	604	12.8	12.9	12.9
		1-2 per year	258	5.5	5.5	18.4
		Once a month	364	7.7	7.8	26.1
		Twice a month	564	12.0	12.0	38.2
		Once a week	1230	26.1	26.2	64.4
		Twice a week	1514	32.2	32.3	96.7
		Daily	157	3.3	3.3	100.0
		Total	4691	99.7	100.0	
Missing	System	14	.3			

Q18a Self: How often consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Total		4705	100.0		
Female	Valid	Never	462	12.9	13.0	13.0
		1-2 per year	281	7.9	7.9	20.9
		Once a month	509	14.3	14.3	35.2
		Twice a month	645	18.1	18.1	53.4
		Once a week	980	27.5	27.6	81.0
		Twice a week	655	18.4	18.4	99.4
		Daily	22	.6	.6	100.0
		Total	3554	99.6	100.0	
	Missing	System	14	.4		
Total		3568	100.0			

Q18b Perceived norm: How often friends consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	131	2.8	2.8	2.8
		1-2 per year	144	3.1	3.1	5.9
		Once a month	211	4.5	4.5	10.4
		Twice a month	387	8.2	8.3	18.7
		Once a week	1150	24.4	24.6	43.3
		Twice a week	2355	50.1	50.4	93.6
		Daily	298	6.3	6.4	100.0
		Total	4676	99.4	100.0	
	Missing	System	29	.6		
Total		4705	100.0			
Female	Valid	Never	109	3.1	3.1	3.1
		1-2 per year	139	3.9	3.9	7.0
		Once a month	287	8.0	8.1	15.1
		Twice a month	526	14.7	14.8	29.9
		Once a week	1135	31.8	32.0	61.9
		Twice a week	1287	36.1	36.3	98.3
		Daily	62	1.7	1.7	100.0
		Total	3545	99.4	100.0	
	Missing	System	23	.6		
Total		3568	100.0			

Q18c Perceived norm: How often team members consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	116	2.5	2.5	2.5
		1-2 per year	109	2.3	2.3	4.8
		Once a month	235	5.0	5.0	9.8
		Twice a month	429	9.1	9.2	19.0
		Once a week	1540	32.7	32.9	51.9
		Twice a week	2024	43.0	43.3	95.2

Q18c Perceived norm: How often team members consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Daily	225	4.8	4.8	100.0
		Total	4678	99.4	100.0	
	Missing	System	27	.6		
Total			4705	100.0		
Female	Valid	Never	65	1.8	1.8	1.8
		1-2 per year	113	3.2	3.2	5.0
		Once a month	316	8.9	8.9	13.9
		Twice a month	600	16.8	16.9	30.9
		Once a week	1472	41.3	41.5	72.4
		Twice a week	948	26.6	26.7	99.1
		Daily	32	.9	.9	100.0
		Total	3546	99.4	100.0	
	Missing	System	22	.6		
Total			3568	100.0		

Q18d Perceived norm: How often male athletes consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	67	1.4	1.4	1.4
		1-2 per year	65	1.4	1.4	2.8
		Once a month	106	2.3	2.3	5.1
		Twice a month	328	7.0	7.0	12.1
		Once a week	1397	29.7	29.8	41.9
		Twice a week	2424	51.5	51.8	93.7
		Daily	294	6.2	6.3	100.0
		Total	4681	99.5	100.0	
	Missing	System	24	.5		
Total			4705	100.0		
Female	Valid	Never	30	.8	.8	.8
		1-2 per year	28	.8	.8	1.6
		Once a month	83	2.3	2.3	4.0
		Twice a month	254	7.1	7.2	11.1
		Once a week	968	27.1	27.3	38.5
		Twice a week	1960	54.9	55.3	93.8
		Daily	220	6.2	6.2	100.0
		Total	3543	99.3	100.0	
	Missing	System	25	.7		
Total			3568	100.0		

Q18e Perceived norm: How often female athletes consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	79	1.7	1.7	1.7
		1-2 per year	68	1.4	1.5	3.1
		Once a month	196	4.2	4.2	7.3

Q18e Perceived norm: How often female athletes consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Twice a month	502	10.7	10.7	18.1
		Once a week	1768	37.6	37.9	55.9
		Twice a week	1811	38.5	38.8	94.7
		Daily	247	5.2	5.3	100.0
		Total	4671	99.3	100.0	
		Missing	System	34	.7	
	Total		4705	100.0		
Female	Valid	Never	38	1.1	1.1	1.1
		1-2 per year	51	1.4	1.4	2.5
		Once a month	172	4.8	4.9	7.4
		Twice a month	467	13.1	13.2	20.5
		Once a week	1466	41.1	41.4	61.9
		Twice a week	1303	36.5	36.8	98.6
		Daily	48	1.3	1.4	100.0
		Total	3545	99.4	100.0	
	Missing	System	23	.6		
Total		3568	100.0			

Q18f Perceived norm: How often non-athletes consume alcohol

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Never	67	1.4	1.4	1.4
		1-2 per year	43	.9	.9	2.4
		Once a month	67	1.4	1.4	3.8
		Twice a month	177	3.8	3.8	7.6
		Once a week	707	15.0	15.1	22.7
		Twice a week	2619	55.7	56.0	78.7
		Daily	997	21.2	21.3	100.0
		Total	4677	99.4	100.0	
	Missing	System	28	.6		
Total		4705	100.0			
Female	Valid	Never	22	.6	.6	.6
		1-2 per year	13	.4	.4	1.0
		Once a month	35	1.0	1.0	2.0
		Twice a month	126	3.5	3.6	5.5
		Once a week	596	16.7	16.8	22.4
		Twice a week	2200	61.7	62.1	84.5
		Daily	548	15.4	15.5	100.0
		Total	3540	99.2	100.0	
	Missing	System	28	.8		
Total		3568	100.0			

Q19a Self: # of party/bar drinks typically consumed

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	809	17.2	17.3	17.3
		1	84	1.8	1.8	19.1
		2	163	3.5	3.5	22.6
		3	209	4.4	4.5	27.1
		4	241	5.1	5.2	32.3
		5	343	7.3	7.4	39.6
		6	370	7.9	7.9	47.6
		7	209	4.4	4.5	52.1
		8	521	11.1	11.2	63.2
		9	107	2.3	2.3	65.5
		10	653	13.9	14.0	79.5
		11	20	.4	.4	80.0
		12	373	7.9	8.0	88.0
		13	44	.9	.9	88.9
		14	45	1.0	1.0	89.9
		15	273	5.8	5.9	95.7
		16	32	.7	.7	96.4
		17	9	.2	.2	96.6
		18	35	.7	.8	97.3
		19	2	.0	.0	97.4
		20	89	1.9	1.9	99.3
		21	1	.0	.0	99.3
		22	1	.0	.0	99.3
		24	10	.2	.2	99.5
		25	14	.3	.3	99.8
		30	4	.1	.1	99.9
		40	2	.0	.0	100.0
60	1	.0	.0	100.0		
	Total	4664	99.1	100.0		
	Missing	-999	21	.4		
		999	10	.2		
		System Total	10	.2		
	Total	4705	100.0			
Female	Valid	0	652	18.3	18.4	18.4
		1	125	3.5	3.5	21.9
		2	328	9.2	9.2	31.2
		3	483	13.5	13.6	44.8
		4	488	13.7	13.8	58.5
		5	544	15.2	15.3	73.9
		6	358	10.0	10.1	84.0
		7	167	4.7	4.7	88.7
		8	216	6.1	6.1	94.8
		9	37	1.0	1.0	95.8
		10	100	2.8	2.8	98.6

Q19a Self: # of party/bar drinks typically consumed

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	11	3	.1	.1	98.7
		12	26	.7	.7	99.4
		14	1	.0	.0	99.5
		15	9	.3	.3	99.7
		16	2	.1	.1	99.8
		17	1	.0	.0	99.8
		18	2	.1	.1	99.9
		20	4	.1	.1	100.0
		26	1	.0	.0	100.0
		Total	3547	99.4	100.0	
Missing	-999		10	.3		
		System	11	.3		
		Total	21	.6		
Total		3568	100.0			

Q19b Perceived norm: # of party/bar drinks by friends

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	247	5.2	5.3	5.3
		1	48	1.0	1.0	6.4
		2	123	2.6	2.7	9.0
		3	187	4.0	4.0	13.0
		4	231	4.9	5.0	18.0
		5	436	9.3	9.4	27.4
		6	387	8.2	8.3	35.8
		7	249	5.3	5.4	41.1
		8	622	13.2	13.4	54.5
		9	136	2.9	2.9	57.5
		10	886	18.8	19.1	76.6
		11	29	.6	.6	77.2
		12	469	10.0	10.1	87.3
		13	45	1.0	1.0	88.3
		14	53	1.1	1.1	89.4
		15	292	6.2	6.3	95.7
		16	26	.6	.6	96.3
		17	12	.3	.3	96.6
		18	29	.6	.6	97.2
		19	1	.0	.0	97.2
		20	85	1.8	1.8	99.0
		21	3	.1	.1	99.1
		22	1	.0	.0	99.1
		24	13	.3	.3	99.4
		25	18	.4	.4	99.8
		30	5	.1	.1	99.9

Q19b Perceived norm: # of party/bar drinks by friends

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent		
Male	Valid	40	1	.0	.0	99.9		
		48	1	.0	.0	99.9		
		50	1	.0	.0	100.0		
		54	1	.0	.0	100.0		
		80	1	.0	.0	100.0		
		Total	4638	98.6	100.0			
		Missing	-999	29	.6			
			999	14	.3			
			System	24	.5			
			Total	67	1.4			
		Total		4705	100.0			
		Female	Valid	0	168	4.7	4.8	4.8
				1	67	1.9	1.9	6.7
				2	228	6.4	6.5	13.1
3	393			11.0	11.1	24.2		
4	520			14.6	14.7	39.0		
5	742			20.8	21.0	60.0		
6	533			14.9	15.1	75.1		
7	231			6.5	6.5	81.6		
8	323			9.1	9.2	90.8		
9	68			1.9	1.9	92.7		
10	164			4.6	4.6	97.4		
11	3			.1	.1	97.5		
12	53			1.5	1.5	99.0		
13	5			.1	.1	99.1		
14	2			.1	.1	99.2		
15	17			.5	.5	99.6		
18	1			.0	.0	99.7		
20	10			.3	.3	99.9		
24	2			.1	.1	100.0		
Total	3530			98.9	100.0			
Missing	-999			16	.4			
	999			1	.0			
	System			21	.6			
	Total			38	1.1			
Total		3568	100.0					

Q19c Perceived norm: # of party/bar drinks by team members

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	225	4.8	4.9	4.9
		1	45	1.0	1.0	5.8
		2	177	3.8	3.8	9.7
		3	173	3.7	3.7	13.4

Q19c Perceived norm: # of party/bar drinks by team members

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Male	Valid	4	277	5.9	6.0	19.4	
		5	433	9.2	9.4	28.8	
		6	433	9.2	9.4	38.1	
		7	250	5.3	5.4	43.5	
		8	630	13.4	13.6	57.2	
		9	127	2.7	2.7	59.9	
		10	823	17.5	17.8	77.7	
		11	25	.5	.5	78.2	
		12	411	8.7	8.9	87.1	
		13	47	1.0	1.0	88.1	
		14	61	1.3	1.3	89.5	
		15	317	6.7	6.9	96.3	
		16	24	.5	.5	96.8	
		17	3	.1	.1	96.9	
		18	22	.5	.5	97.4	
		19	2	.0	.0	97.4	
		20	84	1.8	1.8	99.2	
		22	3	.1	.1	99.3	
		24	8	.2	.2	99.5	
		25	17	.4	.4	99.8	
		30	3	.1	.1	99.9	
		50	1	.0	.0	99.9	
		75	1	.0	.0	100.0	
		85	1	.0	.0	100.0	
		96	1	.0	.0	100.0	
			Total	4624	98.3	100.0	
			Missing	-999	39	.8	
	999	14		.3			
	System	28		.6			
	Total	81		1.7			
	Total	4705	100.0				
Female	Valid	0	114	3.2	3.3	3.3	
		1	69	1.9	2.0	5.2	
		2	280	7.8	8.0	13.2	
		3	494	13.8	14.1	27.4	
		4	545	15.3	15.6	42.9	
		5	748	21.0	21.4	64.3	
		6	488	13.7	13.9	78.3	
		7	244	6.8	7.0	85.2	
		8	286	8.0	8.2	93.4	
		9	50	1.4	1.4	94.8	
		10	122	3.4	3.5	98.3	
		11	2	.1	.1	98.4	
		12	30	.8	.9	99.2	
		13	3	.1	.1	99.3	

Q19c Perceived norm: # of party/bar drinks by team members

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	14	1	.0	.0	99.3
		15	14	.4	.4	99.7
		17	1	.0	.0	99.8
		19	1	.0	.0	99.8
		20	4	.1	.1	99.9
		21	1	.0	.0	99.9
		24	1	.0	.0	100.0
		50	1	.0	.0	100.0
		Total	3499	98.1	100.0	
		Missing	-999	32	.9	
999	1		.0			
System	36		1.0			
Total	69		1.9			
Total		3568	100.0			

Q19d Perceived norm: # of party/bar drinks by male athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	148	3.1	3.2	3.2
		1	20	.4	.4	3.6
		2	82	1.7	1.8	5.4
		3	137	2.9	3.0	8.4
		4	214	4.5	4.6	13.0
		5	414	8.8	9.0	22.0
		6	432	9.2	9.4	31.4
		7	264	5.6	5.7	37.1
		8	656	13.9	14.2	51.3
		9	151	3.2	3.3	54.6
		10	909	19.3	19.7	74.3
		11	43	.9	.9	75.2
		12	500	10.6	10.8	86.0
		13	45	1.0	1.0	87.0
		14	50	1.1	1.1	88.1
		15	355	7.5	7.7	95.8
		16	30	.6	.7	96.4
		17	10	.2	.2	96.7
		18	23	.5	.5	97.2
		19	4	.1	.1	97.2
		20	91	1.9	2.0	99.2
		21	1	.0	.0	99.2
		22	4	.1	.1	99.3
		24	7	.1	.2	99.5
		25	14	.3	.3	99.8
		30	4	.1	.1	99.9

Q19d Perceived norm: # of party/bar drinks by male athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Male	Valid	34	1	.0	.0	99.9	
		44	1	.0	.0	99.9	
		60	2	.0	.0	100.0	
		85	1	.0	.0	100.0	
		99	1	.0	.0	100.0	
		Total	4614	98.1	100.0		
	Missing	-999	36	.8			
		999	21	.4			
		System	34	.7			
		Total	91	1.9			
	Total		4705	100.0			
	Female	Valid	0	42	1.2	1.2	1.2
1			8	.2	.2	1.4	
2			54	1.5	1.5	3.0	
3			129	3.6	3.7	6.7	
4			203	5.7	5.8	12.5	
5			381	10.7	10.9	23.4	
6			387	10.8	11.1	34.4	
7			336	9.4	9.6	44.1	
8			538	15.1	15.4	59.5	
9			222	6.2	6.4	65.8	
10			611	17.1	17.5	83.3	
11			24	.7	.7	84.0	
12			269	7.5	7.7	91.7	
13			37	1.0	1.1	92.7	
14			38	1.1	1.1	93.8	
15			138	3.9	3.9	97.8	
16			14	.4	.4	98.2	
17			3	.1	.1	98.3	
18			9	.3	.3	98.5	
19			2	.1	.1	98.6	
20			30	.8	.9	99.4	
22			1	.0	.0	99.5	
24			5	.1	.1	99.6	
25			8	.2	.2	99.8	
28			1	.0	.0	99.9	
30			4	.1	.1	100.0	
40			1	.0	.0	100.0	
Total				3495	98.0	100.0	
Missing			-999	36	1.0		
			999	4	.1		
	System	33	.9				
	Total	73	2.0				
Total		3568	100.0				

Q19e Perceived norm: # of party/bar drinks by female athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	149	3.2	3.2	3.2
		1	61	1.3	1.3	4.6
		2	266	5.7	5.8	10.3
		3	536	11.4	11.6	21.9
		4	761	16.2	16.5	38.4
		5	945	20.1	20.5	58.9
		6	765	16.3	16.6	75.5
		7	252	5.4	5.5	81.0
		8	424	9.0	9.2	90.2
		9	48	1.0	1.0	91.2
		10	229	4.9	5.0	96.2
		11	7	.1	.2	96.3
		12	59	1.3	1.3	97.6
		13	11	.2	.2	97.9
		14	9	.2	.2	98.0
		15	39	.8	.8	98.9
		16	8	.2	.2	99.1
		17	4	.1	.1	99.2
		18	3	.1	.1	99.2
		20	17	.4	.4	99.6
		21	1	.0	.0	99.6
		24	1	.0	.0	99.6
		25	4	.1	.1	99.7
		26	1	.0	.0	99.7
		30	3	.1	.1	99.8
		32	2	.0	.0	99.8
		55	1	.0	.0	99.9
		60	1	.0	.0	99.9
		78	1	.0	.0	99.9
		80	1	.0	.0	99.9
82	1	.0	.0	100.0		
89	1	.0	.0	100.0		
99	1	.0	.0	100.0		
	Total	4612	98.0	100.0		
	Missing					
	-999	43	.9			
	999	18	.4			
	System	32	.7			
	Total	93	2.0			
	Total	4705	100.0			
Female	Valid	0	54	1.5	1.5	1.5
		1	29	.8	.8	2.4
		2	217	6.1	6.2	8.6
		3	410	11.5	11.7	20.3
		4	591	16.6	16.9	37.2
		5	798	22.4	22.8	60.1

Q19e Perceived norm: # of party/bar drinks by female athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Female	Valid	6	586	16.4	16.8	76.8	
		7	288	8.1	8.2	85.1	
		8	286	8.0	8.2	93.2	
		9	56	1.6	1.6	94.8	
		10	114	3.2	3.3	98.1	
		11	1	.0	.0	98.1	
		12	33	.9	.9	99.1	
		13	2	.1	.1	99.1	
		14	1	.0	.0	99.2	
		15	18	.5	.5	99.7	
		20	4	.1	.1	99.8	
		23	2	.1	.1	99.9	
		24	1	.0	.0	99.9	
		30	2	.1	.1	99.9	
		33	1	.0	.0	100.0	
		50	1	.0	.0	100.0	
		Total		3495	98.0	100.0	
		Missing	-999	38	1.1		
			999	2	.1		
			System	33	.9		
Total	73		2.0				
Total		3568	100.0				

Q19f Perceived norm: # of party/bar drinks by non-athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	132	2.8	2.9	2.9
		1	25	.5	.5	3.4
		2	62	1.3	1.4	4.8
		3	98	2.1	2.1	7.0
		4	197	4.2	4.3	11.3
		5	394	8.4	8.6	19.9
		6	414	8.8	9.1	29.0
		6.5	1	.0	.0	29.0
		7	291	6.2	6.4	35.4
		8	573	12.2	12.6	48.0
		9	173	3.7	3.8	51.8
		10	855	18.2	18.8	70.5
		11	35	.7	.8	71.3
		12	469	10.0	10.3	81.6
		13	71	1.5	1.6	83.1
		14	62	1.3	1.4	84.5
		15	384	8.2	8.4	92.9
16	47	1.0	1.0	93.9		

Q19f Perceived norm: # of party/bar drinks by non-athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Male	Valid	17	16	.3	.4	94.3	
		18	36	.8	.8	95.1	
		19	2	.0	.0	95.1	
		20	152	3.2	3.3	98.5	
		21	3	.1	.1	98.5	
		22	3	.1	.1	98.6	
		23	2	.0	.0	98.6	
		24	18	.4	.4	99.0	
		25	20	.4	.4	99.5	
		26	1	.0	.0	99.5	
		30	11	.2	.2	99.7	
		34	1	.0	.0	99.8	
		40	1	.0	.0	99.8	
		44	1	.0	.0	99.8	
		50	3	.1	.1	99.9	
		63	1	.0	.0	99.9	
		65	1	.0	.0	99.9	
		74	1	.0	.0	99.9	
		85	1	.0	.0	100.0	
		99	2	.0	.0	100.0	
			Total	4559	96.9	100.0	
		Missing	-999	52	1.1		
			999	51	1.1		
System	43		.9				
Total	146		3.1				
Total		4705	100.0				
Female	Valid	0	34	1.0	1.0	1.0	
		1	7	.2	.2	1.2	
		2	42	1.2	1.2	2.4	
		3	124	3.5	3.6	5.9	
		4	250	7.0	7.2	13.1	
		5	488	13.7	14.0	27.1	
		6	532	14.9	15.3	42.4	
		7	386	10.8	11.1	53.5	
		8	535	15.0	15.4	68.8	
		9	179	5.0	5.1	73.9	
		10	480	13.5	13.8	87.7	
		11	29	.8	.8	88.6	
		12	183	5.1	5.3	93.8	
		13	20	.6	.6	94.4	
		14	17	.5	.5	94.9	
		15	107	3.0	3.1	97.9	
		16	4	.1	.1	98.0	
		17	6	.2	.2	98.2	
18	5	.1	.1	98.4			

Q19f Perceived norm: # of party/bar drinks by non-athletes

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	19	2	.1	.1	98.4
		20	30	.8	.9	99.3
		22	4	.1	.1	99.4
		23	1	.0	.0	99.4
		24	4	.1	.1	99.5
		25	11	.3	.3	99.9
		29	1	.0	.0	99.9
		30	2	.1	.1	99.9
		35	1	.0	.0	100.0
		40	1	.0	.0	100.0
		Total	3485	97.7	100.0	
Missing	-999	42	1.2			
	999	8	.2			
	System	33	.9			
	Total	83	2.3			
Total		3568	100.0			

Q20 Hours spent drinking typical amount consumed at parties and bars

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0.2	1	.0	.0	.0
		0.5	6	.1	.2	.2
		1	108	2.3	2.9	3.1
		1.5	4	.1	.1	3.2
		2	385	8.2	10.4	13.7
		2.5	2	.0	.1	13.7
		3	781	16.6	21.2	34.9
		3.5	3	.1	.1	35.0
		4	993	21.1	26.9	62.0
		5	748	15.9	20.3	82.3
		6	357	7.6	9.7	91.9
		7	61	1.3	1.7	93.6
		8	107	2.3	2.9	96.5
		9	10	.2	.3	96.8
		10	60	1.3	1.6	98.4
		11	1	.0	.0	98.4
		12	27	.6	.7	99.2
		14	6	.1	.2	99.3
		15	18	.4	.5	99.8
		16	1	.0	.0	99.8
20	3	.1	.1	99.9		
24	1	.0	.0	99.9		
48	1	.0	.0	100.0		
103	1	.0	.0	100.0		

Q20 Hours spent drinking typical amount consumed at parties and bars

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Male	Valid	Total	3685	78.3	100.0		
	Missing	-999	29	.6			
		0	802	17.0			
		System	189	4.0			
		Total	1020	21.7			
Total		4705	100.0				
Female	Valid	0.2	1	.0	.0	.0	
		0.5	5	.1	.2	.2	
		1	110	3.1	4.1	4.3	
		1.25	1	.0	.0	4.3	
		1.5	2	.1	.1	4.4	
		2	408	11.4	15.0	19.4	
		2.5	1	.0	.0	19.5	
		3	611	17.1	22.5	42.0	
		3.5	2	.1	.1	42.0	
		4	752	21.1	27.7	69.7	
		4.5	1	.0	.0	69.8	
		5	518	14.5	19.1	88.9	
		5.9	1	.0	.0	88.9	
		6	177	5.0	6.5	95.4	
		7	34	1.0	1.3	96.7	
		8	41	1.1	1.5	98.2	
		9	5	.1	.2	98.4	
		10	25	.7	.9	99.3	
		12	7	.2	.3	99.6	
		13	2	.1	.1	99.6	
		15	7	.2	.3	99.9	
		31	1	.0	.0	99.9	
		51	1	.0	.0	100.0	
		72	1	.0	.0	100.0	
		Total		2714	76.1	100.0	
		Missing	-999	6	.2		
			0	649	18.2		
System	199		5.6				
Total	854		23.9				
Total		3568	100.0				

Q21 Days drinking in last two weeks

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	1247	26.5	26.8	26.8
		1	636	13.5	13.7	40.5
		2	875	18.6	18.8	59.3
		3	527	11.2	11.3	70.6

Q21 Days drinking in last two weeks

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Male	Valid	4	547	11.6	11.8	82.4	
		5	310	6.6	6.7	89.1	
		6	217	4.6	4.7	93.7	
		7	83	1.8	1.8	95.5	
		8	65	1.4	1.4	96.9	
		9	28	.6	.6	97.5	
		10	50	1.1	1.1	98.6	
		11	9	.2	.2	98.8	
		12	23	.5	.5	99.3	
		13	8	.2	.2	99.4	
		14	26	.6	.6	100.0	
		Total	4651	98.9	100.0		
		Missing	-999	31	.7		
			System	23	.5		
			Total	54	1.1		
Total		4705	100.0				
Female	Valid	0	1271	35.6	36.1	36.1	
		0.5	1	.0	.0	36.2	
		1	764	21.4	21.7	57.9	
		2	665	18.6	18.9	76.8	
		3	314	8.8	8.9	85.7	
		4	241	6.8	6.9	92.6	
		5	134	3.8	3.8	96.4	
		6	66	1.8	1.9	98.3	
		7	22	.6	.6	98.9	
		8	13	.4	.4	99.3	
		9	3	.1	.1	99.3	
		10	11	.3	.3	99.7	
		11	2	.1	.1	99.7	
		12	7	.2	.2	99.9	
		13	2	.1	.1	100.0	
		14	1	.0	.0	100.0	
		Total	3517	98.6	100.0		
		Missing	-999	27	.8		
			System	24	.7		
Total	51		1.4				
Total		3568	100.0				

Descriptive Statistics for Selected Survey Items

Statistics

Q34 Gender			Q22 Total drinks in last two weeks	Q23 Perception: Estimated % of athletes not using tobacco	Q24 Perception: Estimated % of athletes who do not drink
Male	N	Valid	4639	4634	4655
		Missing	66	71	50
		Mean	17.54	54.61	21.10
		Median	10.00	60.00	15.00
		Std. Deviation	20.691	26.079	19.502
Female	N	Valid	3523	3520	3547
		Missing	45	48	21
		Mean	7.03	59.70	23.82
		Median	4.00	65.00	20.00
		Std. Deviation	9.877	25.292	18.542

Frequency Distributions of Responses for Selected Survey Items

Q22 Total drinks in last two weeks

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	1228	26.1	26.5	26.5
		1	60	1.3	1.3	27.8
		2	102	2.2	2.2	30.0
		3	104	2.2	2.2	32.2
		4	117	2.5	2.5	34.7
		5	130	2.8	2.8	37.5
		6	130	2.8	2.8	40.3
		7	68	1.4	1.5	41.8
		8	132	2.8	2.8	44.6
		9	34	.7	.7	45.4
		10	225	4.8	4.9	50.2
		11	23	.5	.5	50.7
		12	163	3.5	3.5	54.2
		13	25	.5	.5	54.8
		14	64	1.4	1.4	56.2
		15	166	3.5	3.6	59.7
		16	86	1.8	1.9	61.6
		17	21	.4	.5	62.0
		18	65	1.4	1.4	63.4
		19	14	.3	.3	63.7
		20	290	6.2	6.3	70.0
		21	8	.2	.2	70.2
		22	26	.6	.6	70.7
		23	12	.3	.3	71.0
		24	86	1.8	1.9	72.8
		25	147	3.1	3.2	76.0
		26	12	.3	.3	76.3
		27	11	.2	.2	76.5
		28	23	.5	.5	77.0
		29	5	.1	.1	77.1
		30	228	4.8	4.9	82.0
		32	19	.4	.4	82.4
		33	7	.1	.2	82.6
		34	3	.1	.1	82.6
		35	83	1.8	1.8	84.4
		36	21	.4	.5	84.9
		37	3	.1	.1	85.0
		38	8	.2	.2	85.1
		39	2	.0	.0	85.2
		40	152	3.2	3.3	88.4
		41	1	.0	.0	88.5

Q22 Total drinks in last two weeks

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	42	6	.1	.1	88.6
		43	3	.1	.1	88.7
		44	1	.0	.0	88.7
		45	47	1.0	1.0	89.7
		47	2	.0	.0	89.7
		48	28	.6	.6	90.3
		49	1	.0	.0	90.4
		50	143	3.0	3.1	93.4
		52	1	.0	.0	93.5
		54	2	.0	.0	93.5
		55	23	.5	.5	94.0
		56	3	.1	.1	94.1
		58	2	.0	.0	94.1
		59	2	.0	.0	94.2
		60	73	1.6	1.6	95.7
		62	2	.0	.0	95.8
		63	1	.0	.0	95.8
		64	2	.0	.0	95.8
		65	13	.3	.3	96.1
		66	1	.0	.0	96.1
		67	1	.0	.0	96.2
		68	1	.0	.0	96.2
		69	4	.1	.1	96.3
		70	33	.7	.7	97.0
		72	5	.1	.1	97.1
		75	22	.5	.5	97.6
		77	2	.0	.0	97.6
		78	3	.1	.1	97.7
		79	1	.0	.0	97.7
		80	18	.4	.4	98.1
		84	2	.0	.0	98.1
		85	12	.3	.3	98.4
		86	1	.0	.0	98.4
88	1	.0	.0	98.4		
90	12	.3	.3	98.7		
91	1	.0	.0	98.7		
95	2	.0	.0	98.7		
96	1	.0	.0	98.8		
99	57	1.2	1.2	100.0		
	Total	4639	98.6	100.0		
	Missing	-999	33	.7		
	System		33	.7		
	Total		66	1.4		
	Total		4705	100.0		
Female	Valid	0	1279	35.8	36.3	36.3

Q22 Total drinks in last two weeks

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	1	107	3.0	3.0	39.3
		2	152	4.3	4.3	43.7
		3	137	3.8	3.9	47.5
		4	188	5.3	5.3	52.9
		5	191	5.4	5.4	58.3
		6	176	4.9	5.0	63.3
		7	92	2.6	2.6	65.9
		8	136	3.8	3.9	69.8
		9	48	1.3	1.4	71.1
		10	215	6.0	6.1	77.2
		11	23	.6	.7	77.9
		12	132	3.7	3.7	81.6
		13	27	.8	.8	82.4
		14	42	1.2	1.2	83.6
		15	126	3.5	3.6	87.2
		16	36	1.0	1.0	88.2
		17	15	.4	.4	88.6
		18	29	.8	.8	89.4
		19	3	.1	.1	89.5
		20	116	3.3	3.3	92.8
		21	9	.3	.3	93.1
		22	9	.3	.3	93.3
		23	5	.1	.1	93.5
		24	28	.8	.8	94.3
		25	49	1.4	1.4	95.7
		26	5	.1	.1	95.8
		27	2	.1	.1	95.9
		28	1	.0	.0	95.9
		30	55	1.5	1.6	97.4
		31	2	.1	.1	97.5
		32	7	.2	.2	97.7
		34	2	.1	.1	97.8
		35	12	.3	.3	98.1
36	9	.3	.3	98.4		
38	1	.0	.0	98.4		
40	14	.4	.4	98.8		
42	3	.1	.1	98.9		
45	1	.0	.0	98.9		
46	2	.1	.1	98.9		
48	1	.0	.0	99.0		
50	18	.5	.5	99.5		
60	7	.2	.2	99.7		
65	2	.1	.1	99.7		
70	3	.1	.1	99.8		
75	1	.0	.0	99.9		

Q22 Total drinks in last two weeks

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	80	2	.1	.1	99.9
		99	3	.1	.1	100.0
		Total	3523	98.7	100.0	
Missing	-999 System	-999	21	.6		
		System	24	.7		
		Total	45	1.3		
Total			3568	100.0		

Q23 Perception: Estimated % of athletes not using tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	31	.7	.7	.7
		1	19	.4	.4	1.1
		2	32	.7	.7	1.8
		3	15	.3	.3	2.1
		4	9	.2	.2	2.3
		5	68	1.4	1.5	3.8
		6	1	.0	.0	3.8
		7	12	.3	.3	4.0
		8	4	.1	.1	4.1
		9	2	.0	.0	4.2
		10	181	3.8	3.9	8.1
		11	1	.0	.0	8.1
		12	7	.1	.2	8.2
		13	3	.1	.1	8.3
		14	1	.0	.0	8.3
		15	109	2.3	2.4	10.7
		16	1	.0	.0	10.7
		17	3	.1	.1	10.8
		18	5	.1	.1	10.9
		19	2	.0	.0	10.9
		20	200	4.3	4.3	15.2
		21	1	.0	.0	15.3
		22	2	.0	.0	15.3
		23	5	.1	.1	15.4
		24	4	.1	.1	15.5
		25	199	4.2	4.3	19.8
		26	1	.0	.0	19.8
		27	3	.1	.1	19.9
		28	5	.1	.1	20.0
		29	2	.0	.0	20.0
		30	189	4.0	4.1	24.1
		32	4	.1	.1	24.2
		33	18	.4	.4	24.6

Q23 Perception: Estimated % of athletes not using tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	34	8	.2	.2	24.8
		35	108	2.3	2.3	27.1
		36	2	.0	.0	27.1
		37	5	.1	.1	27.2
		38	4	.1	.1	27.3
		39	2	.0	.0	27.4
		40	225	4.8	4.9	32.2
		41	1	.0	.0	32.2
		42	6	.1	.1	32.4
		43	3	.1	.1	32.4
		44	3	.1	.1	32.5
		45	114	2.4	2.5	35.0
		47	3	.1	.1	35.0
		48	7	.1	.2	35.2
		49	3	.1	.1	35.2
		50	524	11.1	11.3	46.5
		51	2	.0	.0	46.6
		52	3	.1	.1	46.7
		53	3	.1	.1	46.7
		54	2	.0	.0	46.8
		55	55	1.2	1.2	47.9
		56	8	.2	.2	48.1
		57	4	.1	.1	48.2
		58	4	.1	.1	48.3
		59	5	.1	.1	48.4
		60	366	7.8	7.9	56.3
		61	2	.0	.0	56.3
		62	4	.1	.1	56.4
		63	3	.1	.1	56.5
		64	6	.1	.1	56.6
		65	191	4.1	4.1	60.7
		66	11	.2	.2	61.0
		67	10	.2	.2	61.2
		68	5	.1	.1	61.3
		69	6	.1	.1	61.4
		70	320	6.8	6.9	68.3
		71	2	.0	.0	68.4
		72	5	.1	.1	68.5
		73	6	.1	.1	68.6
		74	5	.1	.1	68.7
		75	423	9.0	9.1	77.9
		76	8	.2	.2	78.0
		77	5	.1	.1	78.1
		78	16	.3	.3	78.5
		79	6	.1	.1	78.6

Q23 Perception: Estimated % of athletes not using tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	80	319	6.8	6.9	85.5
		81	1	.0	.0	85.5
		82	7	.1	.2	85.7
		83	4	.1	.1	85.8
		84	4	.1	.1	85.8
		85	181	3.8	3.9	89.7
		86	4	.1	.1	89.8
		87	10	.2	.2	90.1
		88	10	.2	.2	90.3
		89	13	.3	.3	90.5
		90	215	4.6	4.6	95.2
		91	3	.1	.1	95.3
		92	5	.1	.1	95.4
		93	7	.1	.2	95.5
		94	5	.1	.1	95.6
		95	115	2.4	2.5	98.1
		96	7	.1	.2	98.3
		97	10	.2	.2	98.5
		98	29	.6	.6	99.1
		99	23	.5	.5	99.6
		100	19	.4	.4	100.0
	Total	4634	98.5	100.0		
	Missing System	71	1.5			
	Total	4705	100.0			
Female	Valid	0	15	.4	.4	.4
		0.25	1	.0	.0	.5
		0.5	1	.0	.0	.5
		1	2	.1	.1	.5
		2	11	.3	.3	.9
		3	7	.2	.2	1.1
		4	2	.1	.1	1.1
		5	35	1.0	1.0	2.1
		6	1	.0	.0	2.1
		7	3	.1	.1	2.2
		8	4	.1	.1	2.3
		10	85	2.4	2.4	4.7
		12	8	.2	.2	5.0
		13	2	.1	.1	5.0
		14	3	.1	.1	5.1
		15	72	2.0	2.0	7.2
		17	1	.0	.0	7.2
		18	4	.1	.1	7.3
		19	2	.1	.1	7.4
		20	131	3.7	3.7	11.1
		21	1	.0	.0	11.1

Q23 Perception: Estimated % of athletes not using tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	22	3	.1	.1	11.2
		23	1	.0	.0	11.2
		24	1	.0	.0	11.2
		25	105	2.9	3.0	14.2
		26	1	.0	.0	14.3
		29	2	.1	.1	14.3
		30	148	4.1	4.2	18.5
		32	2	.1	.1	18.6
		33	6	.2	.2	18.8
		34	3	.1	.1	18.8
		35	69	1.9	2.0	20.8
		36	2	.1	.1	20.9
		37	2	.1	.1	20.9
		38	1	.0	.0	20.9
		39	3	.1	.1	21.0
		40	180	5.0	5.1	26.1
		41	2	.1	.1	26.2
		42	2	.1	.1	26.2
		43	4	.1	.1	26.4
		44	1	.0	.0	26.4
		45	90	2.5	2.6	28.9
		46	5	.1	.1	29.1
		47	8	.2	.2	29.3
		48	2	.1	.1	29.4
		49	3	.1	.1	29.5
		50	340	9.5	9.7	39.1
		53	2	.1	.1	39.2
		54	5	.1	.1	39.3
		55	37	1.0	1.1	40.4
		56	3	.1	.1	40.5
		57	4	.1	.1	40.6
		58	2	.1	.1	40.6
		59	1	.0	.0	40.7
		60	280	7.8	8.0	48.6
		61	3	.1	.1	48.7
		62	2	.1	.1	48.8
		63	3	.1	.1	48.8
		64	2	.1	.1	48.9
		65	153	4.3	4.3	53.2
		66	6	.2	.2	53.4
		67	8	.2	.2	53.6
		68	13	.4	.4	54.0
		69	2	.1	.1	54.1
		70	238	6.7	6.8	60.8
		71	1	.0	.0	60.9

Q23 Perception: Estimated % of athletes not using tobacco

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	72	4	.1	.1	61.0
		73	2	.1	.1	61.0
		74	3	.1	.1	61.1
		75	314	8.8	8.9	70.0
		76	5	.1	.1	70.2
		77	8	.2	.2	70.4
		78	16	.4	.5	70.9
		79	5	.1	.1	71.0
		80	281	7.9	8.0	79.0
		81	2	.1	.1	79.0
		82	12	.3	.3	79.4
		83	3	.1	.1	79.5
		84	5	.1	.1	79.6
		85	195	5.5	5.5	85.1
		86	5	.1	.1	85.3
		87	16	.4	.5	85.7
		88	7	.2	.2	85.9
		89	13	.4	.4	86.3
		90	235	6.6	6.7	93.0
		91	2	.1	.1	93.0
92	15	.4	.4	93.5		
93	5	.1	.1	93.6		
94	4	.1	.1	93.7		
95	131	3.7	3.7	97.4		
96	13	.4	.4	97.8		
97	17	.5	.5	98.3		
98	31	.9	.9	99.2		
99	21	.6	.6	99.8		
100	8	.2	.2	100.0		
		Total	3520	98.7	100.0	
Missing		System	48	1.3		
Total			3568	100.0		

Q24 Perception: Estimated % of athletes who do not drink

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	118	2.5	2.5	2.5
		0.01	1	.0	.0	2.6
		0.03	1	.0	.0	2.6
		0.25	1	.0	.0	2.6
		0.5	2	.0	.0	2.6
		0.9	1	.0	.0	2.7
		1	120	2.6	2.6	5.2
		2	160	3.4	3.4	8.7

Q24 Perception: Estimated % of athletes who do not drink

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	2.3	1	.0	.0	8.7
		3	66	1.4	1.4	10.1
		4	27	.6	.6	10.7
		5	611	13.0	13.1	23.8
		6	5	.1	.1	23.9
		7	18	.4	.4	24.3
		8	35	.7	.8	25.1
		8.7	1	.0	.0	25.1
		9	11	.2	.2	25.3
		10	845	18.0	18.2	43.5
		11	6	.1	.1	43.6
		12	33	.7	.7	44.3
		13	11	.2	.2	44.6
		14	7	.1	.2	44.7
		15	461	9.8	9.9	54.6
		16	1	.0	.0	54.6
		17	4	.1	.1	54.7
		18	9	.2	.2	54.9
		19	5	.1	.1	55.0
		20	544	11.6	11.7	66.7
		21	5	.1	.1	66.8
		22	8	.2	.2	67.0
		23	17	.4	.4	67.3
		24	7	.1	.2	67.5
		25	314	6.7	6.7	74.2
		26	2	.0	.0	74.3
		27	6	.1	.1	74.4
		28	4	.1	.1	74.5
		29	1	.0	.0	74.5
		30	255	5.4	5.5	80.0
		31	1	.0	.0	80.0
		32	5	.1	.1	80.1
		33	15	.3	.3	80.5
		34	10	.2	.2	80.7
		35	95	2.0	2.0	82.7
		36	3	.1	.1	82.8
		37	3	.1	.1	82.8
		38	4	.1	.1	82.9
		40	170	3.6	3.7	86.6
		41	3	.1	.1	86.6
		42	2	.0	.0	86.7
		43	5	.1	.1	86.8
		45	59	1.3	1.3	88.1
		46	3	.1	.1	88.1
		47	1	.0	.0	88.1

Q24 Perception: Estimated % of athletes who do not drink

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	49	2	.0	.0	88.2
		50	230	4.9	4.9	93.1
		52	1	.0	.0	93.1
		53	2	.0	.0	93.2
		54	3	.1	.1	93.3
		55	12	.3	.3	93.5
		56	3	.1	.1	93.6
		58	2	.0	.0	93.6
		60	69	1.5	1.5	95.1
		61	2	.0	.0	95.1
		62	3	.1	.1	95.2
		63	1	.0	.0	95.2
		65	24	.5	.5	95.7
		66	3	.1	.1	95.8
		67	4	.1	.1	95.9
		68	2	.0	.0	95.9
		69	4	.1	.1	96.0
		70	27	.6	.6	96.6
		72	1	.0	.0	96.6
		73	4	.1	.1	96.7
		74	1	.0	.0	96.7
		75	31	.7	.7	97.4
		76	4	.1	.1	97.5
		77	1	.0	.0	97.5
		78	3	.1	.1	97.6
		79	1	.0	.0	97.6
		80	27	.6	.6	98.2
		82	1	.0	.0	98.2
		83	1	.0	.0	98.2
		85	16	.3	.3	98.6
87	1	.0	.0	98.6		
88	2	.0	.0	98.6		
89	2	.0	.0	98.7		
90	27	.6	.6	99.2		
93	2	.0	.0	99.3		
95	13	.3	.3	99.6		
97	1	.0	.0	99.6		
98	3	.1	.1	99.7		
99	7	.1	.2	99.8		
100	9	.2	.2	100.0		
	Total	4655	98.9	100.0		
	Missing System	50	1.1			
	Total	4705	100.0			
Female	Valid	0	32	.9	.9	.9
		0.05	1	.0	.0	.9

Q24 Perception: Estimated % of athletes who do not drink

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	0.25	1	.0	.0	1.0
		0.5	1	.0	.0	1.0
		1	39	1.1	1.1	2.1
		2	97	2.7	2.7	4.8
		3	24	.7	.7	5.5
		4	6	.2	.2	5.7
		5	316	8.9	8.9	14.6
		6	9	.3	.3	14.8
		7	19	.5	.5	15.4
		8	14	.4	.4	15.8
		9	10	.3	.3	16.0
		10	625	17.5	17.6	33.7
		11	4	.1	.1	33.8
		12	39	1.1	1.1	34.9
		13	7	.2	.2	35.1
		14	4	.1	.1	35.2
		15	337	9.4	9.5	44.7
		16	2	.1	.1	44.7
		17	7	.2	.2	44.9
		18	4	.1	.1	45.1
		19	7	.2	.2	45.2
		20	488	13.7	13.8	59.0
		21	5	.1	.1	59.1
		22	5	.1	.1	59.3
		23	11	.3	.3	59.6
		24	1	.0	.0	59.6
		25	265	7.4	7.5	67.1
		26	1	.0	.0	67.1
		27	1	.0	.0	67.2
		28	4	.1	.1	67.3
		29	3	.1	.1	67.4
		30	293	8.2	8.3	75.6
		31	1	.0	.0	75.6
		32	8	.2	.2	75.9
		33	7	.2	.2	76.1
		34	7	.2	.2	76.3
		35	98	2.7	2.8	79.0
		37	4	.1	.1	79.1
		38	2	.1	.1	79.2
		39	1	.0	.0	79.2
		40	193	5.4	5.4	84.7
		42	1	.0	.0	84.7
		43	1	.0	.0	84.7
		45	77	2.2	2.2	86.9
		46	2	.1	.1	86.9

Q24 Perception: Estimated % of athletes who do not drink

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	48	3	.1	.1	87.0
		49	3	.1	.1	87.1
		50	218	6.1	6.1	93.3
		52	3	.1	.1	93.3
		53	2	.1	.1	93.4
		54	1	.0	.0	93.4
		55	11	.3	.3	93.7
		56	4	.1	.1	93.9
		57	1	.0	.0	93.9
		58	3	.1	.1	94.0
		60	56	1.6	1.6	95.5
		62	1	.0	.0	95.6
		63	1	.0	.0	95.6
		65	24	.7	.7	96.3
		66	1	.0	.0	96.3
		69	3	.1	.1	96.4
		70	30	.8	.8	97.2
		71	1	.0	.0	97.3
		72	1	.0	.0	97.3
		73	2	.1	.1	97.3
		74	1	.0	.0	97.4
		75	29	.8	.8	98.2
		76	1	.0	.0	98.2
		78	3	.1	.1	98.3
		80	15	.4	.4	98.7
		83	1	.0	.0	98.8
		84	1	.0	.0	98.8
		85	10	.3	.3	99.1
		87	1	.0	.0	99.1
		88	1	.0	.0	99.1
89	3	.1	.1	99.2		
90	10	.3	.3	99.5		
95	9	.3	.3	99.7		
98	1	.0	.0	99.8		
99	3	.1	.1	99.9		
100	5	.1	.1	100.0		
	Total	3547	99.4	100.0		
	Missing System	21	.6			
	Total	3568	100.0			

Q25 Self: How often drunk during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not during this term	1057	22.5	22.6	22.6

Q25 Self: How often drunk during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Once	490	10.4	10.5	33.1
		Two or three times	1075	22.8	23.0	56.1
		Once per week	1313	27.9	28.1	84.2
		More than once per week	739	15.7	15.8	100.0
		Total	4674	99.3	100.0	
	Missing	System	31	.7		
Total			4705	100.0		
Female	Valid	Not during this term	979	27.4	27.6	27.6
		Once	614	17.2	17.3	44.9
		Two or three times	1050	29.4	29.6	74.6
		Once per week	707	19.8	19.9	94.5
		More than once per week	195	5.5	5.5	100.0
	Total	3545	99.4	100.0		
Missing	System	23	.6			
Total			3568	100.0		

Descriptive Statistics for Selected Survey Items

Statistics

			Q26 Perception: Estimated % of athletes drunk once per week during term	Q27a Perception: Estimated % of athletes with little or no impairment on weekday nights	Q27b Perception: Estimated % of athletes with little or no impairment on weekend nights
Q34 Gender					
Male	N	Valid	4654	2538	2538
		Missing	51	2167	2167
		Mean	61.39	68.28	38.09
		Median	65.00	80.00	35.00
		Std. Deviation	25.911	29.359	24.510
Female	N	Valid	3532	1645	1642
		Missing	36	1923	1926
		Mean	59.05	73.44	41.01
		Median	60.00	80.00	40.00
		Std. Deviation	24.711	25.811	22.264

Frequency Distributions of Responses for Selected Survey Items

Q26 Perception: Estimated % of athletes drunk once per week during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	30	.6	.6	.6
		0.5	1	.0	.0	.7
		1	12	.3	.3	.9
		2	17	.4	.4	1.3
		3	14	.3	.3	1.6
		4	7	.1	.2	1.7
		5	67	1.4	1.4	3.2
		6	3	.1	.1	3.2
		7	1	.0	.0	3.3
		7.5	1	.0	.0	3.3
		8	10	.2	.2	3.5
		9	1	.0	.0	3.5
		10	108	2.3	2.3	5.8
		12	7	.1	.2	6.0
		13	2	.0	.0	6.0
		14	1	.0	.0	6.1
		15	73	1.6	1.6	7.6
		17	3	.1	.1	7.7
		18	3	.1	.1	7.8
		19	1	.0	.0	7.8
		20	139	3.0	3.0	10.8
		21	2	.0	.0	10.8
		22	4	.1	.1	10.9
		23	3	.1	.1	11.0
		24	2	.0	.0	11.0
		25	122	2.6	2.6	13.6
		26	5	.1	.1	13.7
		27	2	.0	.0	13.8
		28	3	.1	.1	13.8
		29	2	.0	.0	13.9
		30	135	2.9	2.9	16.8
		32	3	.1	.1	16.8
		33	6	.1	.1	17.0
		34	4	.1	.1	17.1
		35	78	1.7	1.7	18.7
		36	2	.0	.0	18.8
		37	5	.1	.1	18.9
		39	1	.0	.0	18.9
		40	198	4.2	4.3	23.2
		42	2	.0	.0	23.2
		43	2	.0	.0	23.2

Q26 Perception: Estimated % of athletes drunk once per week during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	44	2	.0	.0	23.3
		45	82	1.7	1.8	25.1
		47	3	.1	.1	25.1
		48	3	.1	.1	25.2
		49	5	.1	.1	25.3
		50	592	12.6	12.7	38.0
		51	1	.0	.0	38.0
		52	3	.1	.1	38.1
		53	1	.0	.0	38.1
		54	4	.1	.1	38.2
		55	39	.8	.8	39.0
		56	8	.2	.2	39.2
		57	7	.1	.2	39.4
		58	1	.0	.0	39.4
		59	1	.0	.0	39.4
		60	329	7.0	7.1	46.5
		61	1	.0	.0	46.5
		62	4	.1	.1	46.6
		63	3	.1	.1	46.6
		64	2	.0	.0	46.7
		65	165	3.5	3.5	50.2
		66	8	.2	.2	50.4
		67	11	.2	.2	50.6
		68	8	.2	.2	50.8
		69	6	.1	.1	50.9
		70	228	4.8	4.9	55.8
		71	6	.1	.1	56.0
		72	5	.1	.1	56.1
		73	2	.0	.0	56.1
		74	3	.1	.1	56.2
		75	473	10.1	10.2	66.4
		76	11	.2	.2	66.6
		77	5	.1	.1	66.7
		78	21	.4	.5	67.1
		79	4	.1	.1	67.2
		80	458	9.7	9.8	77.1
		81	2	.0	.0	77.1
		82	4	.1	.1	77.2
		83	2	.0	.0	77.2
		84	7	.1	.2	77.4
		85	231	4.9	5.0	82.4
		86	3	.1	.1	82.4
		87	5	.1	.1	82.5
		88	16	.3	.3	82.9
		89	18	.4	.4	83.3

Q26 Perception: Estimated % of athletes drunk once per week during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	90	386	8.2	8.3	91.6
		91	1	.0	.0	91.6
		92	4	.1	.1	91.7
		93	5	.1	.1	91.8
		94	2	.0	.0	91.8
		95	170	3.6	3.7	95.5
		96	9	.2	.2	95.7
		97	9	.2	.2	95.9
		98	34	.7	.7	96.6
		99	71	1.5	1.5	98.1
		100	88	1.9	1.9	100.0
		Total	4654	98.9	100.0	
		Missing	System	51	1.1	
Total		4705	100.0			
Female	Valid	0	15	.4	.4	.4
		1	9	.3	.3	.7
		2	12	.3	.3	1.0
		3	6	.2	.2	1.2
		4	3	.1	.1	1.3
		5	38	1.1	1.1	2.3
		6	2	.1	.1	2.4
		7	2	.1	.1	2.5
		8	7	.2	.2	2.7
		10	80	2.2	2.3	4.9
		12	7	.2	.2	5.1
		13	2	.1	.1	5.2
		15	78	2.2	2.2	7.4
		16	5	.1	.1	7.5
		17	1	.0	.0	7.6
		20	124	3.5	3.5	11.1
		21	1	.0	.0	11.1
		22	1	.0	.0	11.1
		23	3	.1	.1	11.2
		25	112	3.1	3.2	14.4
		26	2	.1	.1	14.4
		27	2	.1	.1	14.5
		30	126	3.5	3.6	18.1
		32	1	.0	.0	18.1
33	3	.1	.1	18.2		
34	3	.1	.1	18.3		
35	60	1.7	1.7	20.0		
38	1	.0	.0	20.0		
40	161	4.5	4.6	24.5		
42	2	.1	.1	24.6		
43	2	.1	.1	24.7		

Q26 Perception: Estimated % of athletes drunk once per week during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	45	68	1.9	1.9	26.6
		46	2	.1	.1	26.6
		48	4	.1	.1	26.8
		49	2	.1	.1	26.8
		50	495	13.9	14.0	40.8
		52	2	.1	.1	40.9
		53	1	.0	.0	40.9
		54	2	.1	.1	41.0
		55	41	1.1	1.2	42.1
		56	9	.3	.3	42.4
		57	2	.1	.1	42.4
		58	3	.1	.1	42.5
		59	2	.1	.1	42.6
		60	281	7.9	8.0	50.5
		62	1	.0	.0	50.6
		63	6	.2	.2	50.7
		64	2	.1	.1	50.8
		65	139	3.9	3.9	54.7
		66	5	.1	.1	54.9
		67	10	.3	.3	55.2
		68	6	.2	.2	55.3
		69	3	.1	.1	55.4
		70	251	7.0	7.1	62.5
		71	2	.1	.1	62.6
		72	3	.1	.1	62.7
		73	1	.0	.0	62.7
		74	1	.0	.0	62.7
		75	352	9.9	10.0	72.7
		76	7	.2	.2	72.9
		77	5	.1	.1	73.0
		78	16	.4	.5	73.5
		79	2	.1	.1	73.5
		80	293	8.2	8.3	81.8
		82	2	.1	.1	81.9
		83	1	.0	.0	81.9
		84	1	.0	.0	81.9
		85	199	5.6	5.6	87.6
		86	10	.3	.3	87.9
		87	7	.2	.2	88.1
		88	13	.4	.4	88.4
		89	16	.4	.5	88.9
		90	221	6.2	6.3	95.1
		91	1	.0	.0	95.2
		92	2	.1	.1	95.2
		93	1	.0	.0	95.2

Q26 Perception: Estimated % of athletes drunk once per week during term

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent	
Female	Valid	94	3	.1	.1	95.3	
		95	73	2.0	2.1	97.4	
		96	4	.1	.1	97.5	
		97	5	.1	.1	97.7	
		98	30	.8	.8	98.5	
		99	23	.6	.7	99.2	
		100	30	.8	.8	100.0	
		Total	3532	99.0	100.0		
		Missing	System	36	1.0		
		Total		3568	100.0		

*** Q27a Perception: Estimated % of athletes with little or no impairment on weekday nights (included since 2005)**

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	44	.9	1.7	1.7
		1	10	.2	.4	2.1
		2	15	.3	.6	2.7
		3	10	.2	.4	3.1
		4	7	.1	.3	3.4
		5	53	1.1	2.1	5.5
		6	2	.0	.1	5.6
		7	4	.1	.2	5.7
		8	3	.1	.1	5.8
		9	1	.0	.0	5.9
		10	79	1.7	3.1	9.0
		11	2	.0	.1	9.1
		12	6	.1	.2	9.3
		13	1	.0	.0	9.3
		15	28	.6	1.1	10.4
		19	2	.0	.1	10.5
		20	70	1.5	2.8	13.3
		22	2	.0	.1	13.4
		23	4	.1	.2	13.5
		24	1	.0	.0	13.6
		25	44	.9	1.7	15.3
		26	2	.0	.1	15.4
		27	2	.0	.1	15.4
		30	54	1.1	2.1	17.6
		32	2	.0	.1	17.7
		33	1	.0	.0	17.7
		34	5	.1	.2	17.9
		35	5	.1	.2	18.1
		36	2	.0	.1	18.2
		37	1	.0	.0	18.2

* Q27a Perception: Estimated % of athletes with little or no impairment on weekday nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	39	1	.0	.0	18.2
		40	44	.9	1.7	20.0
		42	1	.0	.0	20.0
		43	2	.0	.1	20.1
		45	14	.3	.6	20.6
		46	2	.0	.1	20.7
		47	1	.0	.0	20.8
		48	1	.0	.0	20.8
		50	185	3.9	7.3	28.1
		51	1	.0	.0	28.1
		54	2	.0	.1	28.2
		55	11	.2	.4	28.6
		56	3	.1	.1	28.8
		57	2	.0	.1	28.8
		59	3	.1	.1	29.0
		60	73	1.6	2.9	31.8
		62	1	.0	.0	31.9
		63	1	.0	.0	31.9
		64	2	.0	.1	32.0
		65	33	.7	1.3	33.3
		66	3	.1	.1	33.4
		67	2	.0	.1	33.5
		68	1	.0	.0	33.5
		70	103	2.2	4.1	37.6
		72	3	.1	.1	37.7
		75	149	3.2	5.9	43.6
		76	7	.1	.3	43.9
		77	1	.0	.0	43.9
		78	5	.1	.2	44.1
		79	3	.1	.1	44.2
		80	307	6.5	12.1	56.3
		81	1	.0	.0	56.3
		82	3	.1	.1	56.5
		83	3	.1	.1	56.6
		84	5	.1	.2	56.8
		85	173	3.7	6.8	63.6
		86	4	.1	.2	63.8
		87	6	.1	.2	64.0
		88	5	.1	.2	64.2
		89	14	.3	.6	64.7
		90	433	9.2	17.1	81.8
		91	1	.0	.0	81.8
		92	4	.1	.2	82.0
		93	4	.1	.2	82.2
		94	3	.1	.1	82.3

* Q27a Perception: Estimated % of athletes with little or no impairment on weekday nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	95	265	5.6	10.4	92.7
		96	6	.1	.2	92.9
		97	17	.4	.7	93.6
		98	57	1.2	2.2	95.9
		99	45	1.0	1.8	97.6
		100	60	1.3	2.4	100.0
		Total	2538	53.9	100.0	
		Missing System	2167	46.1		
Total	4705	100.0				
Female	Valid	0	21	.6	1.3	1.3
		1	2	.1	.1	1.4
		2	7	.2	.4	1.8
		3	2	.1	.1	1.9
		5	21	.6	1.3	3.2
		6	1	.0	.1	3.3
		9	1	.0	.1	3.3
		10	38	1.1	2.3	5.7
		12	2	.1	.1	5.8
		13	1	.0	.1	5.8
		15	12	.3	.7	6.6
		20	27	.8	1.6	8.2
		23	1	.0	.1	8.3
		25	22	.6	1.3	9.6
		30	29	.8	1.8	11.4
		32	2	.1	.1	11.5
		33	1	.0	.1	11.6
		35	11	.3	.7	12.2
		40	29	.8	1.8	14.0
		43	1	.0	.1	14.0
		44	1	.0	.1	14.1
		45	18	.5	1.1	15.2
		50	83	2.3	5.0	20.2
		51	1	.0	.1	20.3
		52	1	.0	.1	20.4
		56	1	.0	.1	20.4
		58	1	.0	.1	20.5
		60	63	1.8	3.8	24.3
		65	22	.6	1.3	25.7
		67	3	.1	.2	25.8
70	86	2.4	5.2	31.1		
72	1	.0	.1	31.1		
74	1	.0	.1	31.2		
75	95	2.7	5.8	37.0		
76	2	.1	.1	37.1		
77	1	.0	.1	37.1		

* Q27a Perception: Estimated % of athletes with little or no impairment on weekday nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	78	8	.2	.5	37.6
		79	1	.0	.1	37.7
		80	207	5.8	12.6	50.3
		85	124	3.5	7.5	57.8
		86	5	.1	.3	58.1
		87	4	.1	.2	58.4
		88	6	.2	.4	58.7
		89	9	.3	.5	59.3
		90	342	9.6	20.8	80.1
		91	1	.0	.1	80.1
		92	2	.1	.1	80.2
		93	11	.3	.7	80.9
		94	3	.1	.2	81.1
		95	190	5.3	11.6	92.6
		96	4	.1	.2	92.9
		97	13	.4	.8	93.7
		98	40	1.1	2.4	96.1
		99	32	.9	1.9	98.1
		100	32	.9	1.9	100.0
			Total	1645	46.1	100.0
Missing	System	1923	53.9			
Total		3568	100.0			

* Q27b Perception: Estimated % of athletes with little or no impairment on weekend nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	0	48	1.0	1.9	1.9
		1	19	.4	.7	2.6
		2	20	.4	.8	3.4
		3	13	.3	.5	3.9
		4	7	.1	.3	4.2
		5	97	2.1	3.8	8.0
		6	4	.1	.2	8.2
		7	3	.1	.1	8.3
		8	3	.1	.1	8.4
		9	3	.1	.1	8.6
		10	243	5.2	9.6	18.1
		11	2	.0	.1	18.2
		11.5	1	.0	.0	18.2
		12	7	.1	.3	18.5
		13	1	.0	.0	18.6
		15	116	2.5	4.6	23.1
		16	1	.0	.0	23.2
17	3	.1	.1	23.3		

* Q27b Perception: Estimated % of athletes with little or no impairment on weekend nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	18	3	.1	.1	23.4
		19	2	.0	.1	23.5
		20	250	5.3	9.9	33.3
		21	3	.1	.1	33.5
		22	5	.1	.2	33.6
		23	6	.1	.2	33.9
		24	4	.1	.2	34.0
		25	155	3.3	6.1	40.1
		26	1	.0	.0	40.2
		28	2	.0	.1	40.3
		30	199	4.2	7.8	48.1
		31	1	.0	.0	48.1
		32	3	.1	.1	48.3
		33	7	.1	.3	48.5
		34	2	.0	.1	48.6
		35	57	1.2	2.2	50.9
		36	1	.0	.0	50.9
		37	4	.1	.2	51.1
		38	1	.0	.0	51.1
		39	1	.0	.0	51.1
		40	184	3.9	7.2	58.4
		42	2	.0	.1	58.5
		43	3	.1	.1	58.6
		44	2	.0	.1	58.7
		45	65	1.4	2.6	61.2
		46	3	.1	.1	61.3
		47	2	.0	.1	61.4
		48	1	.0	.0	61.5
		49	2	.0	.1	61.5
		50	363	7.7	14.3	75.8
		51	1	.0	.0	75.9
		52	1	.0	.0	75.9
		53	1	.0	.0	76.0
		55	25	.5	1.0	77.0
		56	6	.1	.2	77.2
		57	2	.0	.1	77.3
		58	3	.1	.1	77.4
		59	4	.1	.2	77.5
		60	141	3.0	5.6	83.1
		62	1	.0	.0	83.1
		63	2	.0	.1	83.2
		64	2	.0	.1	83.3
		65	47	1.0	1.9	85.1
		66	1	.0	.0	85.2
		67	5	.1	.2	85.4

* Q27b Perception: Estimated % of athletes with little or no impairment on weekend nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	68	4	.1	.2	85.5
		70	84	1.8	3.3	88.8
		72	3	.1	.1	89.0
		73	1	.0	.0	89.0
		74	1	.0	.0	89.0
		75	71	1.5	2.8	91.8
		76	1	.0	.0	91.9
		78	4	.1	.2	92.0
		79	2	.0	.1	92.1
		80	77	1.6	3.0	95.2
		82	1	.0	.0	95.2
		83	1	.0	.0	95.2
		84	1	.0	.0	95.3
		85	26	.6	1.0	96.3
		86	1	.0	.0	96.3
		87	3	.1	.1	96.5
		88	3	.1	.1	96.6
		89	3	.1	.1	96.7
		90	40	.9	1.6	98.3
		92	3	.1	.1	98.4
		95	16	.3	.6	99.0
97	1	.0	.0	99.1		
98	4	.1	.2	99.2		
99	5	.1	.2	99.4		
100	15	.3	.6	100.0		
	Total	2538	53.9	100.0		
	Missing System	2167	46.1			
	Total	4705	100.0			
Female	Valid	0	9	.3	.5	.5
		1	4	.1	.2	.8
		2	7	.2	.4	1.2
		3	3	.1	.2	1.4
		4	1	.0	.1	1.5
		5	32	.9	1.9	3.4
		6	3	.1	.2	3.6
		8	2	.1	.1	3.7
		9	3	.1	.2	3.9
		10	106	3.0	6.5	10.4
		12	4	.1	.2	10.6
		13	2	.1	.1	10.7
		14	1	.0	.1	10.8
		15	68	1.9	4.1	14.9
17	3	.1	.2	15.1		
18	2	.1	.1	15.2		
20	170	4.8	10.4	25.6		

* Q27b Perception: Estimated % of athletes with little or no impairment on weekend nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	22	1	.0	.1	25.6
		23	2	.1	.1	25.8
		25	104	2.9	6.3	32.1
		27	2	.1	.1	32.2
		28	2	.1	.1	32.3
		30	153	4.3	9.3	41.7
		32	1	.0	.1	41.7
		33	4	.1	.2	42.0
		34	4	.1	.2	42.2
		35	40	1.1	2.4	44.6
		36	1	.0	.1	44.7
		40	154	4.3	9.4	54.1
		42	2	.1	.1	54.2
		43	4	.1	.2	54.4
		45	42	1.2	2.6	57.0
		46	2	.1	.1	57.1
		49	1	.0	.1	57.2
		50	281	7.9	17.1	74.3
		53	1	.0	.1	74.4
		54	1	.0	.1	74.4
		55	12	.3	.7	75.2
		56	6	.2	.4	75.5
		57	1	.0	.1	75.6
		60	118	3.3	7.2	82.8
		62	2	.1	.1	82.9
		63	1	.0	.1	82.9
		64	1	.0	.1	83.0
		65	36	1.0	2.2	85.2
		66	3	.1	.2	85.4
		67	4	.1	.2	85.6
		68	4	.1	.2	85.9
		70	57	1.6	3.5	89.3
		72	1	.0	.1	89.4
		74	1	.0	.1	89.5
		75	55	1.5	3.3	92.8
		76	1	.0	.1	92.9
		77	2	.1	.1	93.0
		78	2	.1	.1	93.1
		79	1	.0	.1	93.2
		80	49	1.4	3.0	96.2
		82	1	.0	.1	96.2
		85	28	.8	1.7	97.9
		89	1	.0	.1	98.0
		90	19	.5	1.2	99.1
		95	6	.2	.4	99.5

* Q27b Perception: Estimated % of athletes with little or no impairment on weekend nights (included since 2005)

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	97	1	.0	.1	99.6
		99	5	.1	.3	99.9
		100	2	.1	.1	100.0
	Total	1642	46.0	100.0		
Missing	System	1926	54.0			
Total		3568	100.0			

Q28 Consumed alcohol this acadmic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	1111	23.6	35.9	35.9
		Yes	1983	42.1	64.1	100.0
		Total	3094	65.8	100.0	
	Missing	System	1611	34.2		
Total		4705	100.0			
Female	Valid	No	783	21.9	35.7	35.7
		Yes	1409	39.5	64.3	100.0
		Total	2192	61.4	100.0	
	Missing	System	1376	38.6		
Total		3568	100.0			

Q29a Physical injury to self due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4123	87.6	88.9	88.9
		Occurred once	393	8.4	8.5	97.3
		Occurred more than once	123	2.6	2.7	100.0
		Total	4639	98.6	100.0	
	Missing	-9	23	.5		
	System	43	.9			
	Total	66	1.4			
Total		4705	100.0			
Female	Valid	No	3154	88.4	89.4	89.4
		Occurred once	331	9.3	9.4	98.8
		Occurred more than once	43	1.2	1.2	100.0
		Total	3528	98.9	100.0	
	Missing	-9	12	.3		
	System	28	.8			
	Total	40	1.1			
Total		3568	100.0			

Q29b Physical injury to others due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4230	89.9	91.2	91.2

Q29b Physical injury to others due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Occurred once	294	6.2	6.3	97.5
		Occurred more than once	116	2.5	2.5	100.0
		Total	4640	98.6	100.0	
	Missing	-9	21	.4		
		System	44	.9		
Total		65	1.4			
Total			4705	100.0		
Female	Valid	No	3381	94.8	95.9	95.9
		Occurred once	119	3.3	3.4	99.3
		Occurred more than once	24	.7	.7	100.0
		Total	3524	98.8	100.0	
	Missing	-9	15	.4		
		System	29	.8		
		Total	44	1.2		
	Total			3568	100.0	

Q29c Fighting due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3996	84.9	86.1	86.1
		Occurred once	469	10.0	10.1	96.2
		Occurred more than once	175	3.7	3.8	100.0
		Total	4640	98.6	100.0	
	Missing	-9	18	.4		
		System	47	1.0		
		Total	65	1.4		
Total			4705	100.0		
Female	Valid	No	3230	90.5	91.7	91.7
		Occurred once	235	6.6	6.7	98.4
		Occurred more than once	58	1.6	1.6	100.0
		Total	3523	98.7	100.0	
	Missing	-9	14	.4		
		System	31	.9		
		Total	45	1.3		
Total			3568	100.0		

Q29d Damage to property due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3770	80.1	81.4	81.4
		Occurred once	598	12.7	12.9	94.3
		Occurred more than once	263	5.6	5.7	100.0
		Total	4631	98.4	100.0	
	Missing	-9	24	.5		
		System	50	1.1		

Q29d Damage to property due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Missing	Total	74	1.6		
		Total	4705	100.0		
Female	Valid	No	3335	93.5	94.6	94.6
		Occurred once	156	4.4	4.4	99.0
		Occurred more than once	35	1.0	1.0	100.0
		Total	3526	98.8	100.0	
	Missing	-9	11	.3		
		System	31	.9		
		Total	42	1.2		
		Total	3568	100.0		

Q29e Cutting class due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3560	75.7	76.8	76.8
		Occurred once	743	15.8	16.0	92.8
		Occurred more than once	333	7.1	7.2	100.0
		Total	4636	98.5	100.0	
	Missing	-9	27	.6		
		System	42	.9		
		Total	69	1.5		
		Total	4705	100.0		
Female	Valid	No	2949	82.7	83.6	83.6
		Occurred once	453	12.7	12.8	96.5
		Occurred more than once	125	3.5	3.5	100.0
		Total	3527	98.9	100.0	
	Missing	-9	11	.3		
		System	30	.8		
		Total	41	1.1		
		Total	3568	100.0		

Q29f Inefficiency in studies due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3776	80.3	81.5	81.5
		Occurred once	615	13.1	13.3	94.8
		Occurred more than once	242	5.1	5.2	100.0
		Total	4633	98.5	100.0	
	Missing	-9	26	.6		
		System	46	1.0		
		Total	72	1.5		
		Total	4705	100.0		
Female	Valid	No	3039	85.2	86.2	86.2
		Occurred once	394	11.0	11.2	97.3
		Occurred more than once	94	2.6	2.7	100.0

Q29f Inefficiency in studies due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	Total	3527	98.9	100.0	
	Missing	-9	13	.4		
		System	28	.8		
		Total	41	1.1		
	Total		3568	100.0		

Q29g Late papers, missed exams due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4179	88.8	90.3	90.3
		Occurred once	327	7.0	7.1	97.3
		Occurred more than once	124	2.6	2.7	100.0
		Total	4630	98.4	100.0	
Missing	-9	27	.6			
	System	48	1.0			
	Total	75	1.6			
Total		4705	100.0			
Female	Valid	No	3310	92.8	93.8	93.8
		Occurred once	173	4.8	4.9	98.8
		Occurred more than once	44	1.2	1.2	100.0
		Total	3527	98.9	100.0	
Missing	-9	12	.3			
	System	29	.8			
	Total	41	1.1			
Total		3568	100.0			

Q29h Damaged relationships due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4051	86.1	87.4	87.4
		Occurred once	478	10.2	10.3	97.7
		Occurred more than once	105	2.2	2.3	100.0
		Total	4634	98.5	100.0	
Missing	-9	26	.6			
	System	45	1.0			
	Total	71	1.5			
Total		4705	100.0			
Female	Valid	No	3157	88.5	89.5	89.5
		Occurred once	330	9.2	9.4	98.8
		Occurred more than once	41	1.1	1.2	100.0
		Total	3528	98.9	100.0	
Missing	-9	13	.4			
	System	27	.8			
	Total	40	1.1			
Total		3568	100.0			

Q29i Blackouts due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	2829	60.1	61.0	61.0
		Occurred once	1051	22.3	22.7	83.7
		Occurred more than once	757	16.1	16.3	100.0
		Total	4637	98.6	100.0	
	Missing	-9	21	.4		
		System	47	1.0		
		Total	68	1.4		
Total		4705	100.0			
Female	Valid	No	2324	65.1	65.9	65.9
		Occurred once	852	23.9	24.2	90.0
		Occurred more than once	351	9.8	10.0	100.0
		Total	3527	98.9	100.0	
	Missing	-9	12	.3		
		System	29	.8		
		Total	41	1.1		
Total		3568	100.0			

Q29j Impaired driving due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4133	87.8	89.2	89.2
		Occurred once	322	6.8	6.9	96.1
		Occurred more than once	180	3.8	3.9	100.0
		Total	4635	98.5	100.0	
	Missing	-9	23	.5		
		System	47	1.0		
		Total	70	1.5		
Total		4705	100.0			
Female	Valid	No	3334	93.4	94.5	94.5
		Occurred once	146	4.1	4.1	98.7
		Occurred more than once	47	1.3	1.3	100.0
		Total	3527	98.9	100.0	
	Missing	-9	11	.3		
		System	30	.8		
		Total	41	1.1		
Total		3568	100.0			

Q29k Rode with impaired driver this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3814	81.1	82.4	82.4
		Occurred once	560	11.9	12.1	94.5
		Occurred more than once	255	5.4	5.5	100.0
		Total	4629	98.4	100.0	
	Missing	-9	32	.7		

Q29k Rode with impaired driver this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Missing	System	44	.9		
		Total	76	1.6		
	Total		4705	100.0		
Female	Valid	No	3120	87.4	88.5	88.5
		Occurred once	321	9.0	9.1	97.6
		Occurred more than once	84	2.4	2.4	100.0
		Total	3525	98.8	100.0	
	Missing	-9	12	.3		
		System	31	.9		
		Total	43	1.2		
Total		3568	100.0			

Q29l Intimacy not desired by other person due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4311	91.6	94.5	94.5
		Occurred once	206	4.4	4.5	99.0
		Occurred more than once	45	1.0	1.0	100.0
		Total	4562	97.0	100.0	
	Missing	-9	79	1.7		
		System	64	1.4		
		Total	143	3.0		
Total		4705	100.0			
Female	Valid	No	3350	93.9	95.5	95.5
		Occurred once	147	4.1	4.2	99.7
		Occurred more than once	12	.3	.3	100.0
		Total	3509	98.3	100.0	
	Missing	-9	21	.6		
		System	38	1.1		
		Total	59	1.7		
Total		3568	100.0			

Q29m Sexually active due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3731	79.3	80.5	80.5
		Occurred once	626	13.3	13.5	94.1
		Occurred more than once	275	5.8	5.9	100.0
		Total	4632	98.4	100.0	
	Missing	-9	29	.6		
		System	44	.9		
		Total	73	1.6		
Total		4705	100.0			
Female	Valid	No	3104	87.0	88.0	88.0
		Occurred once	350	9.8	9.9	97.9

Q29m Sexually active due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Valid	Occurred more than once	74	2.1	2.1	100.0
		Total	3528	98.9	100.0	
Missing	-9	System	10	.3		
		Total	30	.8		
		Total	40	1.1		
Total			3568	100.0		

Q29n Unprotected intercourse due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4104	87.2	88.5	88.5
		Occurred once	348	7.4	7.5	96.0
		Occurred more than once	184	3.9	4.0	100.0
		Total	4636	98.5	100.0	
Missing	-9	System	26	.6		
		Total	43	.9		
		Total	69	1.5		
Total			4705	100.0		
Female	Valid	No	3342	93.7	95.0	95.0
		Occurred once	143	4.0	4.1	99.1
		Occurred more than once	33	.9	.9	100.0
		Total	3518	98.6	100.0	
Missing	-9	System	20	.6		
		Total	30	.8		
		Total	50	1.4		
Total			3568	100.0		

Q29o Poor athletic performance due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4403	93.6	95.2	95.2
		Occurred once	174	3.7	3.8	98.9
		Occurred more than once	50	1.1	1.1	100.0
		Total	4627	98.3	100.0	
Missing	-9	System	32	.7		
		Total	46	1.0		
		Total	78	1.7		
Total			4705	100.0		
Female	Valid	No	3416	95.7	97.2	97.2
		Occurred once	87	2.4	2.5	99.7
		Occurred more than once	12	.3	.3	100.0
		Total	3515	98.5	100.0	
Missing	-9	System	18	.5		
		Total	35	1.0		

Q29o Poor athletic performance due to drinking this academic year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Missing	Total	53	1.5		
		Total	3568	100.0		

Q31a Arts and Humanities focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4439	94.3	94.3	94.3
		Yes	266	5.7	5.7	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3195	89.5	89.5	89.5
		Yes	373	10.5	10.5	100.0
		Total	3568	100.0	100.0	

Q31b Business focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3270	69.5	69.5	69.5
		Yes	1435	30.5	30.5	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3151	88.3	88.3	88.3
		Yes	417	11.7	11.7	100.0
		Total	3568	100.0	100.0	

Q31c Education focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3954	84.0	84.0	84.0
		Yes	751	16.0	16.0	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	2675	75.0	75.0	75.0
		Yes	893	25.0	25.0	100.0
		Total	3568	100.0	100.0	

Q31d Engineering focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4488	95.4	95.4	95.4
		Yes	217	4.6	4.6	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3525	98.8	98.8	98.8
		Yes	43	1.2	1.2	100.0
		Total	3568	100.0	100.0	

Q31e Natural Sciences focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4224	89.8	89.8	89.8
		Yes	481	10.2	10.2	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3171	88.9	88.9	88.9
		Yes	397	11.1	11.1	100.0
		Total	3568	100.0	100.0	

Q31f Social Sciences focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4170	88.6	88.6	88.6
		Yes	535	11.4	11.4	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3023	84.7	84.7	84.7
		Yes	545	15.3	15.3	100.0
		Total	3568	100.0	100.0	

Q31g Allied Health focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4400	93.5	93.5	93.5
		Yes	305	6.5	6.5	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3025	84.8	84.8	84.8
		Yes	543	15.2	15.2	100.0
		Total	3568	100.0	100.0	

Q31h Interdisciplinary focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4635	98.5	98.5	98.5
		Yes	70	1.5	1.5	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3502	98.2	98.2	98.2
		Yes	66	1.8	1.8	100.0
		Total	3568	100.0	100.0	

Q31i Other field focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	3911	83.1	83.1	83.1
		Yes	794	16.9	16.9	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3074	86.2	86.2	86.2
		Yes	494	13.8	13.8	100.0
		Total	3568	100.0	100.0	

Q31j Undecided academic focus

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	No	4274	90.8	90.8	90.8
		Yes	431	9.2	9.2	100.0
		Total	4705	100.0	100.0	
Female	Valid	No	3275	91.8	91.8	91.8
		Yes	293	8.2	8.2	100.0
		Total	3568	100.0	100.0	

Q32 Pursuing graduate degree

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	MA or MS	1103	23.4	23.7	23.7
		MBA	870	18.5	18.7	42.3
		Other professional masters - MSW, MSE, MSN	310	6.6	6.7	49.0
		Law degree	253	5.4	5.4	54.4
		Medical degree	274	5.8	5.9	60.3
		PhD	244	5.2	5.2	65.5
		other doctoral degree	83	1.8	1.8	67.3
		other degree	369	7.8	7.9	75.2
		no graduate studies	1155	24.5	24.8	100.0
		Total	4661	99.1	100.0	
		Missing	System	44	.9	
Total		4705	100.0			
Female	Valid	MA or MS	1267	35.5	35.9	35.9
		MBA	301	8.4	8.5	44.4
		Other professional masters - MSW, MSE, MSN	317	8.9	9.0	53.4
		Law degree	150	4.2	4.2	57.6
		Medical degree	298	8.4	8.4	66.0
		PhD	236	6.6	6.7	72.7
		other doctoral degree	93	2.6	2.6	75.3
		other degree	294	8.2	8.3	83.7
		no graduate studies	577	16.2	16.3	100.0
		Total	3533	99.0	100.0	
		Missing	System	35	1.0	
Total		3568	100.0			

Q33a Importance of intellectual challenge in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	339	7.2	7.2	7.2
		Somewhat	1696	36.0	36.1	43.4
		Very	2006	42.6	42.8	86.1
		Essential	651	13.8	13.9	100.0

Q33a Importance of intellectual challenge in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Total	4692	99.7	100.0	
	Missing	System	13	.3		
		Total	4705	100.0		
Female	Valid	Not important	79	2.2	2.2	2.2
		Somewhat	1011	28.3	28.4	30.6
		Very	1875	52.6	52.7	83.4
		Essential	592	16.6	16.6	100.0
		Total	3557	99.7	100.0	
	Missing	System	11	.3		
	Total	3568	100.0			

Q33b Importance of social change in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	623	13.2	13.3	13.3
		Somewhat	2028	43.1	43.4	56.7
		Very	1559	33.1	33.4	90.1
		Essential	464	9.9	9.9	100.0
		Total	4674	99.3	100.0	
	Missing	System	31	.7		
	Total	4705	100.0			
Female	Valid	Not important	198	5.5	5.6	5.6
		Somewhat	1279	35.8	36.1	41.7
		Very	1540	43.2	43.4	85.1
		Essential	528	14.8	14.9	100.0
		Total	3545	99.4	100.0	
	Missing	System	23	.6		
	Total	3568	100.0			

Q33c Importance of income in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	215	4.6	4.6	4.6
		Somewhat	1154	24.5	24.6	29.2
		Very	2063	43.8	44.0	73.2
		Essential	1257	26.7	26.8	100.0
		Total	4689	99.7	100.0	
	Missing	System	16	.3		
	Total	4705	100.0			
Female	Valid	Not important	196	5.5	5.5	5.5
		Somewhat	1328	37.2	37.3	42.8
		Very	1485	41.6	41.7	84.6
		Essential	549	15.4	15.4	100.0
		Total	3558	99.7	100.0	

Q33c Importance of income in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Missing	System	10	.3		
	Total		3568	100.0		

Q33d Importance of security in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	99	2.1	2.1	2.1
		Somewhat	453	9.6	9.7	11.8
		Very	2131	45.3	45.5	57.3
		Essential	2000	42.5	42.7	100.0
		Total	4683	99.5	100.0	
	Missing	System	22	.5		
	Total		4705	100.0		
Female	Valid	Not important	36	1.0	1.0	1.0
		Somewhat	334	9.4	9.4	10.4
		Very	1817	50.9	51.2	61.6
		Essential	1365	38.3	38.4	100.0
		Total	3552	99.6	100.0	
	Missing	System	16	.4		
	Total		3568	100.0		

Q33e Importance of creativity in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	210	4.5	4.5	4.5
		Somewhat	1300	27.6	27.7	32.2
		Very	2212	47.0	47.2	79.4
		Essential	967	20.6	20.6	100.0
		Total	4689	99.7	100.0	
	Missing	System	16	.3		
	Total		4705	100.0		
Female	Valid	Not important	78	2.2	2.2	2.2
		Somewhat	807	22.6	22.7	24.9
		Very	1869	52.4	52.5	77.4
		Essential	803	22.5	22.6	100.0
		Total	3557	99.7	100.0	
	Missing	System	11	.3		
	Total		3568	100.0		

Q33f Importance of value expression in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	204	4.3	4.4	4.4
		Somewhat	1178	25.0	25.2	29.5
		Very	2250	47.8	48.1	77.6

Q33f Importance of value expression in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Essential	1050	22.3	22.4	100.0
		Total	4682	99.5	100.0	
		Missing	23	.5		
		System				
	Total	4705	100.0			
Female	Valid	Not important	57	1.6	1.6	1.6
		Somewhat	633	17.7	17.8	19.4
		Very	1885	52.8	53.0	72.4
		Essential	981	27.5	27.6	100.0
		Total	3556	99.7	100.0	
	Missing	System	12	.3		
	Total	3568	100.0			

Q33g Importance of interesting daily work in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	106	2.3	2.3	2.3
		Somewhat	484	10.3	10.3	12.6
		Very	2203	46.8	47.0	59.6
		Essential	1896	40.3	40.4	100.0
		Total	4689	99.7	100.0	
	Missing	System	16	.3		
Total	4705	100.0				
Female	Valid	Not important	35	1.0	1.0	1.0
		Somewhat	227	6.4	6.4	7.4
		Very	1598	44.8	45.0	52.3
		Essential	1695	47.5	47.7	100.0
		Total	3555	99.6	100.0	
	Missing	System	13	.4		
Total	3568	100.0				

Q33h Importance of leadership potential in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Not important	174	3.7	3.7	3.7
		Somewhat	983	20.9	21.0	24.7
		Very	2143	45.5	45.7	70.4
		Essential	1385	29.4	29.6	100.0
		Total	4685	99.6	100.0	
	Missing	System	20	.4		
Total	4705	100.0				
Female	Valid	Not important	93	2.6	2.6	2.6
		Somewhat	805	22.6	22.7	25.3
		Very	1752	49.1	49.3	74.6
		Essential	904	25.3	25.4	100.0
	Total	3554	99.6	100.0		

Q33h Importance of leadership potential in career

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Female	Missing	System	14	.4		
	Total		3568	100.0		

Q35 Age

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Less than 21	3376	71.8	71.9	71.9
		21-24	1291	27.4	27.5	99.4
		Greater than 24	27	.6	.6	100.0
		Total	4694	99.8	100.0	
	Missing	System	11	.2		
	Total	4705	100.0			
Female	Valid	Less than 21	2819	79.0	79.3	79.3
		21-24	731	20.5	20.6	99.8
		Greater than 24	6	.2	.2	100.0
		Total	3556	99.7	100.0	
	Missing	System	12	.3		
	Total	3568	100.0			

Q36 Class year

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	1st year	1752	37.2	37.4	37.4
		Sophomore	1264	26.9	27.0	64.3
		Junior	990	21.0	21.1	85.4
		Senior	684	14.5	14.6	100.0
		Total	4690	99.7	100.0	
	Missing	System	15	.3		
	Total	4705	100.0			
Female	Valid	1st year	1310	36.7	36.8	36.8
		Sophomore	995	27.9	28.0	64.8
		Junior	689	19.3	19.4	84.1
		Senior	564	15.8	15.9	100.0
		Total	3558	99.7	100.0	
	Missing	System	10	.3		
	Total	3568	100.0			

Q37 Residence type

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Residence hall	3193	67.9	68.0	68.0
		College-owned house or apartment	385	8.2	8.2	76.2
		Fraternity	117	2.5	2.5	78.7
		Sorority	3	.1	.1	78.7
		Off campus	1000	21.3	21.3	100.0

Q37 Residence type

Q34 Gender			Frequency	Percent	Valid Percent	Cumulative Percent
Male	Valid	Total	4698	99.9	100.0	
	Missing	System	7	.1		
		Total	4705	100.0		
Female	Valid	Residence hall	2535	71.0	71.2	71.2
		College-owned house or apartment	387	10.8	10.9	82.1
		Fraternity	1	.0	.0	82.1
		Sorority	12	.3	.3	82.4
		Off campus	626	17.5	17.6	100.0
		Total	3561	99.8	100.0	
	Missing	System	7	.2		
		Total	3568	100.0		

Social Norms Surveys Online

© Copyright 2006, H. Wesley Perkins and David W. Craig. All rights reserved.
For permission to reprint or use this online survey please contact
Alcohol Education Project
Hobart and William Smith Colleges, Geneva, NY 14456
<http://alcohol.hws.edu>

Survey of Student-Athlete Norms

Please login.

Username:

Password:

login

Social Norms Surveys Online

© Copyright 2006, H. Wesley Perkins and David W. Craig. All rights reserved.

For permission to reprint or use this online survey please contact

Alcohol Education Project

Hobart and William Smith Colleges, Geneva, NY 14456

<http://alcohol.hws.edu>

Survey of Student-Athlete Norms

Page 1 of 4

This is a survey about student-athlete attitudes and experiences in athletics and other extracurricular activities. It also covers a variety of other topics including academics, career interests, social life, daily activities, health and well-being issues. We want you to tell us about yourself and your perceptions of other students. This is an **anonymous survey** -- you will not be asked to submit your name nor your specific team sport. The goal is simply to get a general profile of athletes and their lives as students.

Questions that ask about your perceptions of other athletes are referring to athletes **at your school during the school term**. Please read each question carefully. There are no "right" or "wrong" answers-- just give your best estimate. This survey is **voluntary**. If you do not wish to respond to a question you may leave it blank and continue on.

ATHLETIC ACTIVITIES

1. In which years during college have you actively participated in any of the following (include the current year if your sport is currently in season or if you are actively training with your team at this time)?

(mark as many years as apply.)

	1st	2nd	3rd	4th	5th
a. Intercollegiate Athletics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
b. Intramural/recreational athletics	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
c. Student Athletic Advisory Committee (SAAC)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

2. Have you ever served as an intercollegiate team captain?

(select one)

- yes, currently
- yes, but not this year

no

3. Are you participating in an intercollegiate sport that is currently in season?

yes

no

4. In considering your college experience so far, how important to you is your participation in intercollegiate athletics?

(select one)

Not very important

Somewhat important

Very important

The most important part of my undergraduate experience

5. Thinking of your five best friends here at school, how many of them are also intercollegiate athletes?

0

1

2

3

4

5

6. In your sport (primary sport if you are involved in more than one team)...

a. Do all team members compete throughout an event or compete equal amounts of time? Alternatively, do some better players get to compete more often or for more time than others during competitions?

(select one)

All team members play about the same amount of time (NOTE: If you choose this response, then skip 'b' below.)

Players get different amounts of competition time

b. How much time do you get to play compared to other athletes on your team?

(select one)

More than average

About average

Less than average

Our team has not competed yet since I joined -- no opportunity to judge

7. Rate your current physical condition for your sport on a scale from 0 to 10.


(choose one)

**I'm not
at all in**

**I'm at
my peak**

physical condition for my sport 0	1	2	3	4	5	6	7	8	9	physical condition for my sport 10
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Next >



Social Norms Surveys Online

Alcohol Education Project
 Hobart and William Smith Colleges, Geneva, NY 14456
<http://alcohol.hws.edu>

Survey of Student-Athlete Norms

Page 2 of 4

OTHER EXTRACURRICULAR ACTIVITIES

8. During college so far have you actively participated in any of the following (include the current year if you have participated this term already)?

	Never	Yes, during one year	Yes, during more than one year
a. Student government	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Religious group or organization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Political club or organization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Social Fraternity or Sorority	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Performing Arts	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Student Newspaper	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Literary or other magazine	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Campus media (TV,radio)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. Social action/issues group	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Cultural/ethnic group or organization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Volunteer service organization	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Work on faculty research	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Independent study/research	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Honor society	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Semester or year studying abroad	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

9. TIME MANAGEMENT -- During the current academic term how much time do you spend per week, on average, on the following?

(For each category a through m, enter the number of hours per week you participate for each activity)

Academic Work

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25+
a. Attending class or labs	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Studying/preparing for class	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Working with peers on classwork	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Social Norms Surveys Online

Alcohol Education Project
Hobart and William Smith Colleges, Geneva, NY 14456
<http://alcohol.hws.edu>

Survey of Student-Athlete Norms

Page 3 of 4

HEALTH AND WELL-BEING

10. How many hours do you sleep on average per night?

- | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 4 or
less | 5 | 6 | 7 | 8 | 9 | 10 | 11 or
more |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

11. How many meals do you usually eat per day?

- | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 0 | 1 | 2 | 3 | 4 or
more |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

12. What is your weight and height?

Weight

_____ pounds

Height (enter feet and then inches)

feet

- | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 3 | 4 | 5 | 6 | 7 |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

inches

- | | | | | | | | | | | | |
|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|
| 0 | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 |
| <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> | <input type="radio"/> |

13. Which statement below about using tobacco (including cigarettes, cigars, and chewing tobacco) do you feel best represents your own attitude?

(select one)

- Tobacco use is never a good thing to do.
- Occasional tobacco use is ok, but not daily use.
- Daily tobacco use is ok if that's what the individual wants to do.

14. Which statement below about using tobacco (including cigarettes, cigars, and chewing tobacco) do you think will be the most common attitude among athletes in general here at your school?

(select one)

- Tobacco use is never a good thing to do.
- Occasional tobacco use is ok, but not daily use.
- Daily tobacco use is ok if that's what the individual wants to do.

15. Which statement below about drinking alcoholic beverages do you feel best represents your own attitude?

(select one)

- Drinking is never a good thing to do.
- Drinking is all right but a student should never get drunk.
- An occasional 'drunk' is OK as long as it doesn't interfere with academics or responsibilities.
- An occasional 'drunk' is OK even if it does interfere with academics or responsibilities.
- A frequent 'drunk' is OK if that's what the individual wants to do.

16. Which statement below about drinking alcoholic beverages do you expect to be the most common attitude among athletes in general here at your school?

(select one)

- Drinking is never a good thing to do.
- Drinking is all right but a student should never get drunk.
- An occasional 'drunk' is OK as long as it doesn't interfere with academics or responsibilities.
- An occasional 'drunk' is OK even if it does interfere with academics or responsibilities.
- A frequent 'drunk' is OK if that's what the individual wants to do.

17. How often do you think students in each of the following categories at your school typically use tobacco (including cigarettes, cigars and chewing tobacco)?

Just give your best estimate of what is most typical for each category (a through f).

	Never	1-2 per year	Once a month	Twice a month	Once a week	Twice a week	Daily
a. Yourself	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Your friends	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Students on your team	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

d. Male athletes at your school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Female athletes at your school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Non-athletes at your school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

18. How often do you think students in each of the following categories at your school typically consume alcohol (including beer, wine, wine coolers, liquor and mixed drinks)?

Just give your best estimate of what is most typical for each category (a through f).

	Never	1-2 per year	Once a month	Twice a month	Once a week	Twice a week	Daily
a. Yourself	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Your friends	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Students on your team	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Male athletes at your school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Female athletes at your school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Non-athletes at your school	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

19. How many alcoholic drinks, on average, do you think each of the following students typically consumes at parties and bars? (A drink is a bottle of beer, a glass of wine, a wine cooler, a shot of liquor, or a mixed drink.)

Just give your best estimate of what is most typical for each category (a through f). Indicate a number for each or check none.

a. Yourself

None

or

drinks

b. Your friends

None

or

drinks

c. Students on your team

None

or

_____ # drinks

d. Male athletes are your school

None

or

_____ # drinks

e. Female athletes at your school

None

or

_____ # drinks

f. Non-athletes at your school

None

or

_____ # drinks

20. In question 19a above you indicated that you typically consume _____ drinks at parties and bars. (If zero, skip to questions 21.)

How much time do you typically spend drinking that amount?

_____ hours

Think back over the past two weeks...

21. On how many days during these past two weeks did you have one or more drinks (that is, beer, wine, liquor, or mixed drink)?

_____ days

OR

I did not drink at all in the last two weeks. If checked skip to question 23.

22. As best as you can estimate, what was the total number of drinks you had during these two weeks?

(One drink is defined as a beer, a glass of wine, a shot of liquor, or a mixed drink.)

_____ total drinks in two weeks

23. Overall, what percentage of athletes at your school do you think use NO tobacco products at all?

Just give your best estimate (from 0 to 100%).

_____ %

24. Overall, what percentage of athletes at your school do you think consume NO alcoholic beverages at all?

Just give your best estimate (from 0 to 100%).

_____ %

25. How often, if ever, have you been drunk during this current academic term??

(select one)

- Not during this term.
- Once this term.
- Two or three times this term or about once per month.
- About once per week.
- More than once per week.

26. Overall, what percentage of student-athletes at your school do you think have been drunk at least once per week during the current term?

Just give your best estimate (from 0 to 100%).

_____ %

27. Overall, what percentage of student-athletes at your school do you think return home on week day and weekend nights with little or no alcohol impairment? (Little or no impairment, for example, is commonly found at blood alcohol concentrations (BAC) of .05% or lower.)

Again, just give your best estimate (from 0 to 100%).

a. little/no impairment on weekday nights

_____ %

b. little/no impairment on weekend nights

_____ %

28. Have you consumed alcohol during this academic year?

(select one)

- yes (continue with question 29)
- no (skip down to next page)

29. During this academic year which, if any, of the following has occurred as a consequence of your drinking?

	No, not during this academic year	Yes, occurred once due to drinking during this academic year	Yes, occurred more than once due to drinking during this academic year
a. Physical injury to yourself	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Physical injury to others	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. Fighting	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Damage to property	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Cutting class	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Inefficiency in homework, classroom, or lab work	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Late papers, missed exams, failure to study for exams	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Damaged friendships or relationships	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
i. After drinking could not remember events or actions that occurred while drinking	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
j. Impaired driving	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
k. Rode with an impaired driver	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
l. Attempted intimate physical/sexual contact not desired by the other person	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
m. Were sexually active when otherwise might not have chosen to be	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
n. Engaged in intercourse unprotected (from pregnancy or disease) when you otherwise might not have	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
o. Missed or performed poorly in an athletic event	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Next >

Social Norms Surveys Online

Alcohol Education Project
Hobart and William Smith Colleges, Geneva, NY 14456
<http://alcohol.hws.edu>

Survey of Student-Athlete Norms

Page 4 of 4

ACADEMICS AND CAREER INTERESTS:

30. What is your approximate cumulative grade point average in college based on a 4.0 scale?

Check here for no grades if this is your first term in college.

(using a 4pt scale where A=4.0, B=3.0, C=2.0, D=1.0, and F=0.0)

A/A+ 4.0	A- 3.7	B+ 3.3	B 3.0	B- 2.7	C+ 2.3	C 2.0	C- 1.7	D+ 1.3	D 1.0	D- 0.7	F 0.0
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

31. Mark the area of your undergraduate major or primary concentration.

(select all that apply)

- a. Arts and Humanities
- b. Business
- c. Education
- d. Engineering
- e. Natural Sciences
- f. Social Sciences
- g. Allied Health (e.g. nursing, pharmacy, physical therapy)
- h. Interdisciplinary
- i. Other field
- j. Undecided

32. Do you plan to pursue any of the following graduate or professional degrees after you graduate?

(select one)

- Master's Degree in Arts and Sciences (M.A. or M.S.)

- Master's of Business Administration (M.B.A.)
 Other Professional Master's Degree (M.S.W., M.S.E., M.S.N., M.A.T.)
 Law Degree (J.D. or L.L.B.)
 Medical Degree (M.D., D.O., D.D.S., D.V.M.)
 Ph.D.
 Other doctoral degree (Ed.D., Sci.D., D.B.A.)
 Other degree or certificate
 No, I am not currently planning to pursue graduate education

33. When thinking about a career, how important to you is each of the following considerations?

(mark one answer on each line)

	Not important	Somewhat important	Very important	Essential
a. Intellectual challenge	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
b. Work for social change	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
c. High income potential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
d. Stable, secure future	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
e. Creativity and initiative	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
f. Expression of personal values	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
g. Interesting daily work	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
h. Leadership potential	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

BACKGROUND INFORMATION

(This information will help assure that a broad diversity of athletes have participated in the survey.)

34. Gender

- male
 female


35. What is your age?

- Less than 21
 21 - 24
 greater than 24

36. What is your class rank?

- 1st year
 Sophomore

Junior Senior**37. In which type of residence do you currently live?***(select one)* Residence hall floor College-owned house, Co-op, or college owned apartment Fraternity Sorority Off campus private housing



Social Norms Surveys Online

© Copyright 2006, H. Wesley Perkins and David W. Craig. All rights reserved.
For permission to reprint or use this online survey please contact
Alcohol Education Project
Hobart and William Smith Colleges, Geneva, NY 14456
<http://alcohol.hws.edu>

Thank you for taking the survey!